

Drevina: BUK

100% kvalita kmeňov: A

Podiel poškodených stromov: 0%

Vek: 60 rokov

Hrubka cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kóry																		Od- pad									
	I			II					III A					III B						SI- IIIB	V	VI						
	6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1								
10																						95.5	4.5					
12											8.1						4.0				12.1	84.0	3.9					
14												4.6	3.5				5.8			2.2	1.8	25.1	71.6	3.3				
16						6.0		2.0	4.0			22.5					8.0			1.0	5.0	2.0	36.5	60.7	2.8			
18		.9				10.8		4.7	6.1			24.4					10.2			2.2	6.0	2.0	46.3	51.4	2.3			
20		1.7				14.9		6.7	7.3			25.7					12.5			.5	3.3	6.8	1.9	54.8	43.4	1.8		
22		2.4				18.4		8.4	7.7			26.5					14.7			.9	4.2	7.4	1.8	62.0	36.6	1.4		
24		3.1				21.2		9.6	7.8	.1	.2	27.0					16.8			.4	1.9	5.0	7.8	1.7	68.1	30.9	1.0	
26		3.7				23.6		10.5	7.6	.2	.4	27.0					18.9			1.0	2.5	5.8	8.0	1.6	73.2	26.1	.7	
28		4.4				25.3		11.1	7.1	.3	.7	26.9					20.7			.3	1.4	3.0	6.4	8.2	1.4	77.3	22.3	.4
30		5.1				26.5		11.3	6.6	.4	.9	26.5					22.5			.8	1.8	3.6	7.0	8.0	1.3	80.6	19.3	.1
32		5.8				27.3		11.2	6.0	.5	1.2	26.0					24.1			1.2	2.3	4.1	7.4	7.9	1.2	83.2	16.8	
34		6.5				27.7		11.0	5.4	.7	1.4	25.4					25.5			1.8	2.8	4.6	7.8	7.5	1.0	85.1	14.9	

Drevina:BUK

100% kvalita kmenov:B

Podiel poskodzenych stromov: 0%

Vek: 60 rokov

Hrubka cm	Podiel akostnych a hrubkových tried vyrezov v % z objemu hrubiny bez kory																		Od pad									
	I			II			III A					III B					SI- IIIB	V		VI								
	6	5	4	6	5	4	3	2	1	6	5	4	3	2	1	6	5	4	3	2	1							
10																												
12										6.9				3.9	3.0				3.4			10.3	85.1	4.6				
14										14.5				9.6	4.9				7.2			21.7	74.4	3.9				
16										2.2				.7	1.5				19.0			10.6			31.8	64.8	3.4	
18										5.0				2.2	2.8				21.8			13.9			40.7	56.5	2.8	
20		.3								7.1				.4	3.2	3.5			24.2			16.8			48.4	49.3	2.3	
22		1.0								.4				3.2	3.5				.1	4.1	15.7	4.3			6.6	2.7		
22		.1	.9							8.5				3.9	3.6				26.0			19.6			55.1	43.0	1.9	
22		.1	.9							1.0				3.9	3.6				.9	5.1	16.1	3.9			1.7	5.6	9.8	2.5
24		1.4								9.9									27.4			22.0			60.7	37.8	1.5	
24		.3	1.1							.2	1.6	4.5	3.6						.1	.2	1.5	5.9	16.2	3.5				
24		.3	1.1							.2	1.6	4.5	3.6						.1	.2	1.5	5.9	16.2	3.5				
26		1.7								11.0									28.5			24.3			65.5	33.4	1.1	
26		.4	1.3							.4	2.1	5.0	3.5						.2	.4	2.0	6.8	16.1	3.0				
26		.4	1.3							.4	2.1	5.0	3.5						.2	.4	2.0	6.8	16.1	3.0				
28		1.9								12.1									29.0			26.4			69.4	29.9	.7	
28		.5	1.4							.2	.6	2.7	5.2	3.4					.3	.7	2.5	7.3	15.6	2.6				
28		.5	1.4							.2	.6	2.7	5.2	3.4					.3	.7	2.5	7.3	15.6	2.6				
30		2.1								12.8									29.4			28.3			72.6	27.0	.4	
30		.7	1.3							.3	.8	3.1	5.4	3.2					.4	1.0	3.0	7.8	14.9	2.3				
30		.7	1.3							.3	.8	3.1	5.4	3.2					.4	1.0	3.0	7.8	14.9	2.3				
32		2.2								13.5									29.4			30.0			75.1	24.8	.1	
32		.8	1.3							.4	1.0	3.5	5.6	3.0					.6	1.4	3.4	8.1	14.0	1.9				
32		.8	1.3							.4	1.0	3.5	5.6	3.0					.6	1.4	3.4	8.1	14.0	1.9				
34		2.4								13.8									29.2			31.6			77.0	23.0		
34		.9	1.4							.6	1.3	3.8	5.4	2.7					.8	1.7	3.8	8.3	13.0	1.6				
34		.9	1.4							.6	1.3	3.8	5.4	2.7					.8	1.7	3.8	8.3	13.0	1.6				

Drevina:BUK

100% kvalita kmeňov:C

Podiel poškodených stromov: 0%

Vek: 60rokov

Hrúbka cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kôry																		Od- pad										
	I			II					III A					III B						SI- IIIB	V	VI							
	6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1									
10																							94.1	5.9					
12											.4		.2	.2				5.5		3.0	2.5	5.9	88.8	5.3					
14											4.4							10.7		.1	7.1	3.5	15.1	80.2	4.7				
16											7.9		.4	5.4	2.1				15.3		1.9	9.6	3.8	23.2	72.7	4.1			
18											10.9		1.2	7.3	2.4				19.6		4.3	11.5	3.8	30.5	65.9	3.6			
20											13.4		.1	2.3	8.6	2.4				23.5		.9	6.2	12.8	3.6	36.9	60.1	3.0	
22											15.5		.5	3.0	9.7	2.3				26.9		2.4	7.6	13.5	3.4	42.4	55.1	2.5	
24											17.1		.1	.9	3.7	10.2	2.2			.6	30.2		3.5	9.0	14.0	3.1	47.3	50.6	2.1
26									.1	.3	18.4		1.3	4.4	10.3	2.0			1.7	33.0		4.3	10.2	14.0	2.8	51.4	46.9	1.7	
28									.2	.5	19.4		1.7	4.9	10.3	1.8	.6	2.4	5.2	35.5		5.2	11.0	13.8	2.5	54.9	43.8	1.3	
30									.3	.7	20.1		2.1	5.3	10.2	1.5	1.3	3.0	6.0	37.6		6.0	11.7	13.4	2.2	57.7	41.4	.9	
32									.4	.9	20.4		2.4	5.6	9.8	1.3	2.0	3.8	6.8	39.7		6.8	12.2	13.0	1.9	60.1	39.4	.5	
34									.5	1.2	20.6		2.7	5.8	9.2	1.2	2.8	4.6	7.5	41.3		7.5	12.5	12.2	1.7	61.9	37.9	.2	

Drevina: BUK

100% kvalita kmeňov: D

Podiel poškodených stromov: 0%

Vek: 60 rokov

Hrúbka cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kôry															SI- IIIB	V	VI	Od- pad						
	I			II			III A					III B													
	6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1					
10																							82.3	17.0	.7
12															.9						.9	82.1	16.2	.8	
14															6.5						6.5	77.1	15.5	.9	
16															11.6						11.6	72.6	14.9	.9	
18															16.3						16.3	68.5	14.3	.9	
20															20.5						20.5	64.8	13.8	.9	
22															.8	5.4	11.1	3.2			24.4	61.4	13.3	.9	
24															24.4						2.1	6.9	12.3	3.1	
26															.6	3.2	8.3	12.9	2.8		27.8	58.5	12.7	1.0	
28															1.6	4.0	9.5	13.1	2.6		30.8	55.9	12.3	1.0	
30															.5	2.2	4.9	10.4	13.2	2.3	33.5	53.7	11.8	1.0	
32															1.2	2.9	5.7	11.1	12.8	2.1	35.8	51.8	11.4	1.0	
34															1.9	3.6	6.5	11.6	12.4	1.8	37.8	50.1	11.1	1.0	
															2.7	4.4	7.2	11.9	11.7	1.6	39.5	48.8	10.7	1.0	

Drevina:BUK

100% kvalita kmeňov:A

Podiel poškodených stromov:20%

Vek: 60rokov

Hrúbka cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kóry																		Odpad											
	I			II					III A					III B						SI- IIIB	V	VI								
	6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1										
10																						95.5	4.5							
12											6.9							3.0				9.9	86.2	3.9						
14											18.1							4.8				22.9	73.8	3.3						
16						4.2	1.4	2.8			23.1							7.0				34.3	62.9	2.8						
18		.2				9.6	4.1	5.5			25.1	1.1	15.8	6.2				9.2	.8	4.4	1.8		44.1	53.6	2.3					
20		1.0				13.7					26.4							11.5				52.6	45.6	1.8						
22		1.7				17.2					27.2	.1	4.4	17.2	4.7				13.7				59.8	38.8	1.4					
24		2.4				20.1					27.6	.9	5.3	16.9	4.1				17.2	1.2	3.9	6.9	1.7		65.9	33.1	1.0			
26		3.0				22.4					27.7	.3	1.8	4.7	7.4	1.6				15.8	.3	1.8	4.7	7.4	1.6		71.0	28.3	.7	
28		3.7				24.1					27.6	.4	2.0	6.6	15.6	2.9				17.9	.9	2.3	5.5	7.7	1.5		75.1	24.5	.4	
30	.1	4.4				25.4					27.1	.7	2.4	7.0	14.7	2.5				19.7	.3	1.3	2.9	6.1	7.7	1.4		78.4	21.5	.1
32	.2	5.1				26.1					26.7	.4	.9	2.8	7.2	13.7	2.1				21.5	.7	1.7	3.4	6.7	7.8	1.2		81.0	19.0
34	.3	5.8				26.5					26.1	.5	1.2	3.1	7.3	12.8	1.8				23.1	1.2	2.2	4.0	7.1	7.5	1.1		82.9	17.1
												.7	1.5	3.4	7.4	11.6	1.5				24.5	1.7	2.7	4.5	7.3	7.3	1.0			

Drevina: BUK

100% kvalita kmenov: B

Podiel poškodených stromov: 20%

Vek: 60 rokov

Hrubka cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kôry																		Od- pad										
	I			II					III A					III B						SI- IIIB	V	VI							
	6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1									
10																						94.8	5.2						
12												4.9							3.0		1.6	1.4	7.9	87.5	4.6				
14												12.6							6.7		4.5	2.2	19.3	76.8	3.9				
16							1.4												10.2		1.2	6.4	2.6	29.4	67.2	3.4			
18							4.2												20.7		2.3	13.9	4.5	38.3	58.9	2.8			
20							6.6												23.1		.1	3.9	15.0	4.1	46.0	51.7	2.3		
22		.6					8.1												24.9		.8	4.9	15.5	3.7	52.7	45.4	1.9		
24		.1	.5				1.0												19.1		1.7	5.4	9.6	2.4	58.3	40.2	1.5		
26		.2	.9				9.4												26.3		.5	2.5	6.4	9.9	2.2	63.1	35.8	1.1	
28		.3	1.1				10.5												27.3		1.2	3.1	7.4	10.2	2.0	67.0	32.3	.7	
30		.4	1.2		.2	.5	11.6												27.9		.3	.7	2.4	7.0	15.0	2.5	70.2	29.4	.4
32		.5	1.2		.3	.8	12.4												28.3		.4	1.0	2.9	7.5	14.3	2.2	72.7	27.2	.1
34		.6	1.2		.4	1.0	13.0												28.2		.6	1.3	3.3	7.8	13.3	1.9	74.6	25.4	
		.1	.8	1.2		.6	13.3												28.1		.7	1.6	3.7	8.0	12.5	1.6			
		.1	.8	1.2		.6	13.3												31.1		2.1	3.5	5.7	9.4	9.2	1.2			

Drevina:BUK

100% kvalita kmeňov:C

Podiel poškodených stromov:20%

Vek: 60rokov

Hrúbka cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kóry																		Od- pad									
	I			II			III A					III B					SI- IIIB	V		VI								
	6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1								
10																							94.1	5.9				
12																		3.9		2.1	1.8	3.9	90.8	5.3				
14									3.8				2.5	1.3				9.2		6.2	3.0	13.0	82.3	4.7				
16									7.3				.3	5.0	2.0			13.9		1.7	8.7	3.5	21.2	74.7	4.1			
18									10.3				1.2	6.9	2.2			18.1		3.9	10.7	3.5	28.4	68.0	3.6			
20									12.8				.1	2.2	8.2	2.3		22.0		.8	5.8	12.0	3.4	34.8	62.2	3.0		
22									14.8				.5	2.9	9.2	2.2		25.6		2.3	7.3	12.8	3.2	40.4	57.1	2.5		
24									16.5				.1	.9	3.6	9.8	2.1	.6	28.7		3.3	8.6	13.3	2.9	45.2	52.7	2.1	
26									17.8			.1	.3	1.3	4.2	10.0	1.9	1.6	31.5		4.1	9.7	13.5	2.6	49.3	49.0	1.7	
28									18.8			.2	.5	1.6	4.7	10.1	1.7	.5	34.0		2.3	5.0	10.6	13.2	2.4	52.8	45.9	1.3
30									19.4			.3	.7	2.0	5.1	9.8	1.5	1.2	36.3		2.9	5.8	11.3	13.0	2.1	55.7	43.4	.9
32									19.8			.4	.9	2.3	5.4	9.5	1.3	1.9	38.2		3.7	6.6	11.7	12.5	1.8	58.0	41.5	.5
34									19.9			.5	1.1	2.6	5.6	9.0	1.1	2.8	40.0		4.4	7.3	12.1	11.8	1.6	59.9	39.9	.2

Drevina:BUK

100% kvalita kmeňov:D

Podiel poškodených stromov:20%

Vek: 60rokov

Hrúbka cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kóry																		Odpad									
	I			II			III A					III B					SI- IIIB	V		VI								
	6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1								
10																						82.3	17.0	.7				
12																						83.0	16.2	.8				
14															5.6				3.7	1.9	5.6	78.0	15.5	.9				
16															10.8				1.3	6.8	2.7	10.8	73.4	14.9	.9			
18															15.4				3.4	9.0	3.0	15.4	69.4	14.3	.9			
20															19.7				.7	5.2	10.7	3.1	19.7	65.6	13.8	.9		
22															23.5				2.1	6.7	11.8	2.9	23.5	62.3	13.3	.9		
24															26.9				.6	3.1	8.0	12.5	2.7	26.9	59.4	12.7	1.0	
26															29.9				1.6	3.9	9.2	12.7	2.5	29.9	56.8	12.3	1.0	
28															32.6				.5	2.2	4.8	10.1	12.7	2.3	32.6	54.6	11.8	1.0
30															34.9				1.2	2.8	5.6	10.8	12.5	2.0	34.9	52.7	11.4	1.0
32															36.9				1.9	3.5	6.3	11.3	12.1	1.8	36.9	51.0	11.1	1.0
34															38.6				2.7	4.3	7.0	11.7	11.4	1.5	38.6	49.7	10.7	1.0

Drevina:BUK

100% kvalita kmeňov:A

Podiel poškodených stromov:40%

Vek: 60rokov

Hrubka cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kôry																		Od- pad										
	I			II					III A					III B						SI- IIIB	V	VI							
	6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1									
10																						95.5	4.5						
12												5.7						1.9				7.6	88.5	3.9					
14												16.9						3.8				20.7	76.0	3.3					
16							2.3					23.8						6.0				32.1	65.1	2.8					
18							.8	1.5				1.1	16.3	6.4				.7	3.8	1.5									
18							8.0					25.7						8.2				41.9	55.8	2.3					
20			.3				3.5	4.5				2.9	17.2	5.6				1.8	4.8	1.6									
20			.3				12.6					27.0						10.5				50.4	47.8	1.8					
22			.3				.8	5.7	6.1				.1	4.5	17.6	4.8				.4	2.8	5.7	1.6						
22			.3				16.1					27.8						12.7				57.6	41.0	1.4					
24			.3				2.0	7.3	6.8				.9	5.4	17.4	4.1				1.1	3.6	6.4	1.6						
24			.3				18.9					28.3						14.8				63.7	35.3	1.0					
26			.3				3.0	8.7	6.9	.1	.2	1.6	6.1	16.7	3.6				.3	1.7	4.4	6.9	1.5						
26			.3				21.3					28.3						16.9				68.8	30.5	.7					
28			.3				.5	1.8	.1	.7	4.1	9.6	6.8	.2	.4	2.0	6.7	16.0	3.0	.9	2.2	5.2	7.2	1.4					
28			.3				23.0					28.2						18.7				72.9	26.7	.4					
30			.3				5.1	10.0	6.5	.3	.7	2.5	7.1	15.0	2.6	.3	1.3	2.7	5.8	7.3	1.3								
30			.3				24.3					27.8						20.5				76.2	23.7	.1					
32			.3				1.1	2.1	.3	1.1	5.9	10.3	6.0	.4	1.0	2.8	7.4	14.1	2.1	.7	1.7	3.3	6.4	7.2	1.2				
32			.3				25.1					27.3						22.1				78.8	21.2						
34			.3				6.5	10.4	5.5	.5	1.3	3.2	7.5	13.0	1.8	1.1	2.1	3.8	6.8	7.2	1.1								
34			.3				25.4					26.7						23.5				80.7	19.3						
34			.3				7.0	10.1	4.9	.7	1.5	3.5	7.6	11.9	1.5	1.6	2.6	4.3	7.1	7.0	.9								



Drevina:BUK

100% kvalita kmenov:C

Podiel poškodených stromov:40%

Vek: 60rokov

Hrúbka cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kôry																		Od- pad					
	I			II				III A					III B					SI- IIIB		V	VI			
	6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1				
10																						94.1	5.9	
12																	1.8					1.8	92.9	5.3
14												3.2		2.1	1.1			7.7				10.9	84.4	4.7
16												6.7						12.4				19.1	76.8	4.1
18												9.6						16.7				26.3	70.1	3.6
20												12.1						20.6				32.7	64.3	3.0
22												14.2						24.1				38.3	59.2	2.5
24												15.9						27.2				43.1	54.8	2.1
26												17.2						30.0				47.2	51.1	1.7
28										.1	.3	18.1						32.6				50.7	48.0	1.3
30										.2	.5	18.8						34.8				53.6	45.5	.9
32										.3	.7	19.2						36.8				56.0	43.5	.5
34										.4	.9	19.3						38.5				57.8	42.0	.2
										.5	1.1	2.5	5.5	8.6	1.1	2.7	4.3	7.0	11.6	11.4	1.5			

Drevina: BUK		100% kvalita kmeňov: D												Podiel poskodených stromov: 40%										Vek: 60 rokov			
Hrúbka cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kôry																				Od- pad						
	I			II					III A							III B						SI- IIIB	V	VI			
6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1	SI- IIIB	V	VI	Od- pad				
10																					82.3	17.0	.7				
12																					83.0	16.2	.8				
14																4.7		3.1	1.6	4.7	78.9	15.5	.9				
16																9.9		1.2	6.2	2.5	9.9	74.3	14.9	.9			
18																14.5		3.2	8.5	2.8	14.5	70.3	14.3	.9			
20																18.8		.7	4.9	10.3	2.9	18.8	66.5	13.8	.9		
22																22.6		2.0	6.4	11.4	2.8	22.6	63.2	13.3	.9		
24																26.0		.5	3.0	7.8	12.0	2.7	26.0	60.3	12.7	1.0	
26																29.0		1.5	3.8	8.9	12.4	2.4	29.0	57.7	12.3	1.0	
28																31.7		.5	2.1	4.6	9.9	12.4	2.2	31.7	55.5	11.8	1.0
30																34.0		1.2	2.8	5.4	10.5	12.1	2.0	34.0	53.6	11.4	1.0
32																36.0		1.8	3.5	6.2	11.1	11.7	1.7	36.0	51.9	11.1	1.0
34																37.7		2.6	4.2	6.9	11.3	11.2	1.5	37.7	50.6	10.7	1.0

Drevina:BUK

100% kvalita kmeňov:A

Podiel poškodených stromov: 0%

Vek: 80rokov

Hrúbka cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kôry																		Od- pad								
	I			II				III A					III B					SI- IIIB		V	VI						
	6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1							
10																							95.2	4.8			
12									7.9				4.5	3.4	4.0				2.2	1.8	11.9	83.9	4.2				
14									18.9				12.5	6.4	5.9				3.9	2.0	24.8	71.6	3.6				
16		.4					5.6	1.8	3.8	21.9			1.0	15.0	5.9	8.0			1.0	5.0	2.0	35.9	61.0	3.1			
18		1.3					10.2	4.4	5.8	23.8			2.7	15.9	5.2	10.3			2.2	6.1	2.0	45.6	51.8	2.6			
20		2.0					14.2	6.4	6.9	25.1			.1	4.2	16.3	4.5	12.5		.5	3.3	6.8	1.9	53.8	44.0	2.2		
22		2.6					17.6	8.0	7.4	25.9			.9	5.1	16.0	3.9	14.7		1.3	4.2	7.4	1.8	60.8	37.4	1.8		
24		3.2					20.4	9.2	7.5	26.3			.1	.2	1.4	5.7	15.6	3.3	.4	1.9	5.0	7.8	1.7	66.7	31.8	1.5	
26		3.8					22.6	10.1	7.2	26.4			.2	.4	1.9	6.3	14.8	2.8	1.0	2.4	5.8	7.9	1.6	71.5	27.4	1.1	
28		4.3					24.4	10.7	6.9	26.1			.3	.7	2.3	6.6	13.8	2.4	.3	1.4	3.0	6.4	8.1	1.4	75.4	23.7	.9
30		4.9					25.5	10.9	6.3	25.8			.4	.9	2.6	6.8	13.1	2.0	.8	1.8	3.6	6.9	7.9	1.3	78.5	20.9	.6
32		5.6					26.2	10.8	5.7	25.2			.5	1.2	2.9	6.9	12.0	1.7	1.2	2.3	4.1	7.3	7.9	1.1	80.9	18.7	.4
34		6.2					26.5	10.5	5.1	24.6			.6	1.4	3.2	7.0	11.0	1.4	1.7	2.8	4.6	7.7	7.5	1.0	82.6	17.2	.2



Drevina: BUK

100% kvalita kmeňov: C

Podiel poškodených stromov: 0%

Vek: 80 rokov

Hrúbka cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kôry																		Od- pad							
	I			II				III A					III B					SI- IIIB		V	VI					
	6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1						
10																						93.4	6.6			
12											.9		.5	.4				5.2		2.8	2.4	6.1	87.9	6.0		
14											4.8		3.2	1.6				10.3	.1	6.8	3.4	15.1	79.4	5.5		
16											8.2	.4	5.6	2.2				14.8		1.8	9.3	3.7	23.0	72.1	4.9	
18											11.1		1.2	7.5	2.4			19.0		4.1	11.2	3.7	30.1	65.5	4.4	
20											13.5	.1	2.3	8.7	2.4			22.7	.9	6.0	12.3	3.5	36.2	59.9	3.9	
22											15.5	.5	3.0	9.7	2.3			26.1		2.3	7.4	13.1	3.3	41.6	54.9	3.5
24											17.1	.1	.9	3.7	10.2	2.2		29.1	.6	3.3	8.7	13.5	3.0	46.2	50.7	3.1
26										.1	.3	1.3	4.3	10.4	1.9			31.9	1.7	4.2	9.8	13.5	2.7	50.2	47.1	2.7
28										.2	.5	1.7	4.8	10.3	1.7	.5	2.3	34.3	5.0	10.7	13.4	2.4	53.5	44.2	2.3	
30										.3	.7	2.0	5.2	10.0	1.5	1.2	2.9	36.4	5.8	11.3	13.1	2.1	56.1	41.9	2.0	
32										.4	.9	2.3	5.5	9.6	1.3	2.0	3.7	38.3	6.6	11.8	12.4	1.8	58.3	40.0	1.7	
34										.5	1.1	2.6	5.7	9.1	1.1	2.8	4.4	39.9	7.3	12.0	11.8	1.6	60.0	38.6	1.4	

Drevina: BUK

100% kvalita kmeňov: D

Podiel poškodených stromov: 0%

Vek: 80 rokov

Hrúbka cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kôry															SI- IIIB	V	VI	Od- pad			
	I			II			III A			III B												
	6	5	4	6	5	4	3	2		6	5	4	3	2	1							
10																			81.5	17.6	.9	
12												1.1					.6	.5	1.1	81.0	16.9	1.0
14												6.5						2.2	6.5	76.1	16.3	1.1
16												11.4						2.9	11.4	71.8	15.7	1.1
18												15.9		1.4	7.1			3.1	15.9	67.8	15.1	1.2
20												20.0		3.5	9.3			3.1	20.0	64.2	14.6	1.2
22												23.6		.8	5.3			3.1	23.6	61.0	14.2	1.2
24												26.8		2.1	6.7			3.0	26.8	58.3	13.7	1.2
26												29.7		.6	3.1			2.7	29.7	55.8	13.3	1.2
28												32.1		1.5	3.9			2.5	32.1	53.7	13.0	1.2
30												34.3		.5	2.2			2.2	34.3	51.9	12.5	1.3
32												36.1		1.2	2.8			2.0	36.1	50.4	12.2	1.3
34												37.6		1.8	3.5			1.7	37.6	49.2	11.9	1.3
												2.6		4.2	6.8			1.5				

Drevina: BUK

100% kvalita kmeňov: A

Podiel poškodených stromov: 20%

Vek: 80 rokov

Hrúbka cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kôry																		Od- pad						
	I			II					III A					III B						SI- IIIB	V	VI			
	6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1					
10																						95.2	4.8		
12											6.7						3.0		1.6	1.4	9.7	86.1	4.2		
14											17.7						4.9				22.6	73.8	3.6		
16						4.1											7.0				33.7	63.2	3.1		
18		.5				9.1						1.0	15.5	6.1			.8	4.4	1.8		43.3	54.1	2.6		
20		1.3				13.0						2.7	16.5	5.3			9.2		2.0	5.4	1.8	51.6	46.2	2.2	
22		.1	1.2			.8	5.9	6.3			25.8						.4	3.0	6.3	1.8	58.6	39.6	1.8		
24		1.9				16.5					26.6						.9	5.2	16.5	4.0	64.5	34.0	1.5		
26		.2	1.7			2.0	7.6	6.9			26.9						1.2	3.9	6.8	1.7	69.3	29.6	1.1		
28		2.5				19.3			.1	.2	27.0						.3	1.8	4.7	7.4	1.6	73.2	25.9	.9	
30		.4	2.1			.3	3.1	8.8	7.1	.2	.4	1.5	5.8	15.9	3.4			.9	2.3	5.5	7.5	1.5	76.3	23.1	.6
32		3.0		.1	.7	21.6			.2	.4	26.8						.3	1.3	2.9	6.1	7.6	1.4	78.7	20.9	.4
34		.7	2.3	.3	1.1	23.2			.3	.7	27.4						.7	1.7	3.4	6.6	7.7	1.2	80.4	19.4	.2
		1.0	2.5	.6	1.5	5.1	10.2	6.5	.4	.9	26.4						.1	1.3	2.9	6.1	7.6	1.4			
		.1	1.3	.6	1.5	5.9	10.3	6.1	.4	.9	26.4						.7	1.7	3.4	6.6	7.7	1.2			
		4.9				24.4					26.4						.7	1.7	3.4	6.6	7.7	1.2			
		.2	1.7	.8	1.9	25.0			.5	1.2	25.9						1.2	2.2	3.9	7.0	7.5	1.1			
		.3	2.0	.8	1.9	6.5	10.3	5.5	.5	1.2	25.3						1.2	2.2	3.9	7.0	7.5	1.1			
		5.5				25.3			.7	1.4	25.3						1.7	2.7	4.4	7.3	7.2	1.0			
		.3	2.0	1.1	2.3	6.9	10.1	4.9	.7	1.4	3.3	7.2	11.3	1.4			1.7	2.7	4.4	7.3	7.2	1.0			



Drevina:BUK

100% kvalita kmeňov:C

Podiel poškodených stromov:20%

Vek: 80rokov

Hrubka cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kóry																		Odt pad						
	I			II				III A				III B				SI- IIIB	V	VI							
	6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1					
10																						93.4	6.6		
12											.3				3.8					2.1	1.7	4.1	89.9	6.0	
14											4.2										5.9	2.9	13.0	81.5	5.5
16											7.6												21.0	74.1	4.9
18											10.5												28.0	67.6	4.4
20											12.9												34.2	61.9	3.9
22											14.9												39.6	56.9	3.5
24											16.5												44.2	52.7	3.1
26											17.7												48.1	49.2	2.7
28										.1	.3	1.3	4.2	9.9	1.9								51.4	46.3	2.3
30										.2	.5	1.6	4.7	9.8	1.7	.5	2.2	4.8	10.2	12.9	2.3		54.1	43.9	2.0
32										.3	.7	1.9	5.1	9.6	1.5	1.2	2.8	5.6	10.9	12.5	2.0		56.2	42.1	1.7
34										.4	.9	2.3	5.3	9.2	1.3	1.9	3.5	6.3	11.3	12.0	1.8		57.9	40.7	1.4
										.5	1.1	2.5	5.5	8.7	1.1	2.7	4.3	7.0	11.6	11.4	1.5				

Drevina: BUK		100% kvalita kmeňov: D										Podiel poškodených stromov: 20%										Vek: 80 rokov							
Hruška cm		Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kôry																		Od- pad									
		I			II			III A					III B					SI- IIIB	V		VI								
6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1	SI- IIIB	V	VI	pad						
10																					81.5	17.6	.9						
12																		.2		.1	.1	81.9	16.9	1.0					
14																		5.6		3.7	1.9	5.6	77.0	16.3	1.1				
16																		10.6				10.6	72.6	15.7	1.1				
18																		15.0		1.3	6.6	2.7	15.0	68.7	15.1	1.2			
20																		19.1		3.3	8.8	2.9	19.1	65.1	14.6	1.2			
22																		22.7		5.0	10.4	3.0	22.7	61.9	14.2	1.2			
24																		25.9		2.0	6.4	11.5	2.8	25.9	59.2	13.7	1.2		
26																		28.8		3.0	7.7	12.1	2.6	28.8	56.7	13.3	1.2		
28																		31.3		1.5	3.8	8.9	12.2	2.4	31.3	54.5	13.0	1.2	
30																		33.4		.5	2.1	4.6	9.7	12.2	2.2	33.4	52.8	12.5	1.3
32																		35.2		1.1	2.7	5.3	10.4	12.0	1.9	35.2	51.3	12.2	1.3
34																		36.7		1.8	3.4	6.1	10.8	11.4	1.7	36.7	50.1	11.9	1.3
																				2.5	4.1	6.7	11.0	10.9	1.5				

Drevina:BUK

100% kvalita kmeňov:A

Podiel poškodených stromov:40%

Vek: 80rokov

Hru bka cm	Podiel akostných a hrubkových tried výrezov v % z objemu hrubiny bez kóry																		Od pad				
	I			II				III A					III B					SI- IIIB		V	VI		
	6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1			
10																						95.2	4.8
12											5.5						2.0				7.5	88.3	4.2
14											16.5			3.1 2.4			3.9		1.1 .9		20.4	76.0	3.6
16						2.3		.8 1.5			23.2						6.0		.7 3.8 1.5		31.5	65.4	3.1
18						7.8		3.4 4.4			25.1						8.2		1.8 4.8 1.6		41.1	56.3	2.6
20		.5				12.0		5.4 5.8			26.5						10.4		.4 2.7 5.7 1.6		49.4	48.4	2.2
22	1.2					15.3		7.0 6.4			27.3						12.6		1.1 3.6 6.3 1.6		56.4	41.8	1.8
24	1.7					18.2		8.3 6.7	.1	.2	27.6						14.8		1.7 4.4 6.9 1.5		62.3	36.2	1.5
26	2.3					20.4		9.2 6.5	.2	.4	27.7						16.7		2.2 5.1 7.1 1.4		67.1	31.8	1.1
28	2.9					22.1		9.7 6.2	.3	.7	27.4						18.6		2.7 5.8 7.3 1.3		71.0	28.1	.9
30	3.5					23.2		9.9 5.8	.4	.9	27.1						20.3		3.2 6.3 7.3 1.2		74.1	25.3	.6
32	4.1					24.0		9.9 5.3	.5	1.2	26.5						21.9		3.8 6.7 7.1 1.1		76.5	23.1	.4
34	4.8					24.2		9.6 4.7	.7	1.5	25.9						23.3		4.2 7.1 6.9 .9		78.2	21.6	.2

Drevina: BUK		100% kvalita kmeňov: B												Podiel poškodených stromov: 40%						Vek: 80 rokov					
Hrubka cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kóry																		Och pad						
	I			II				III A					III B				SI- IIIB	V		VI					
	6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1					
10																							94.3	5.7	
12												3.3							2.2				5.5	89.4	5.1
14													1.9	1.4						1.2			16.7	78.8	4.5
16													7.2	3.6						3.9			26.6	69.5	3.9
18												16.7							9.3				35.3	61.3	3.4
20													.6	.2	.4					1.1			42.8	54.2	3.0
22												19.5							12.5				49.2	48.2	2.6
24													3.3	1.4	1.9					2.7			54.7	43.1	2.2
26												21.8							15.4				59.2	39.0	1.8
28													.4	.2	.4					4.1			62.9	35.6	1.5
30												23.6							18.0				65.9	32.9	1.2
32													.8	.4	3.0					5.1			68.2	30.9	.9
34												24.9							20.5				69.9	29.4	.7
													.1	.1	.7					2.4					
												25.8							22.7						
													1.8	6.1	14.6					3.0					
												26.4							24.7						
													2.3	6.7	14.0					3.6					
												26.7							26.5						
													2.7	7.1	13.5					4.2					
												26.7							28.2						
													3.1	7.3	12.8					4.9					
												26.4							29.7						
													.7	1.5					5.4						
													3.5	7.5	11.7					9.0					

Drevina: BUK

100% kvalita kmeňov: C

Podiel poškodených stromov: 40%

Vek: 80 rokov

Hrúbka cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kôry															Odpad												
	I			II					III A				III B				SI- IIIB	V	VI									
	6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1								
10																							93.4	6.6				
12																	2.0		1.1	.9	2.0	92.0	6.0					
14											3.6						7.3				10.9	83.6	5.5					
16												2.4	1.2								4.9	2.4						
18											7.0	.3	4.8	1.9			11.9		1.4	7.5	3.0	18.9	76.2	4.9				
20											9.8	1.1	6.6	2.1			16.1		3.5	9.5	3.1	25.9	69.7	4.4				
22											12.3	.1	2.1	7.9	2.2			19.8	.8	5.2	10.7	3.1	32.1	64.0	3.9			
24											14.2	.5	2.8	8.8	2.1			23.3		2.1	6.6	11.7	2.9	37.5	59.0	3.5		
26											15.8	.1	.9	3.4	9.4	2.0			26.3	.6	3.0	7.9	12.1	2.7	42.1	54.8	3.1	
28									.1	.3	17.0	1.2	4.0	9.6	1.8			29.0	1.5	3.8	8.9	12.4	2.4	46.0	51.3	2.7		
30									.2	.4	17.9	1.6	4.5	9.6	1.6	.5	2.1	31.4	4.6	9.8	12.2	2.2	49.3	48.4	2.3			
32									.3	.6	18.5	1.9	4.9	9.4	1.4	1.1	2.7	33.5	5.4	10.4	12.0	1.9	52.0	46.0	2.0			
34									.4	.9	18.7	2.2	5.1	8.9	1.2	1.8	3.4	35.5	6.1	10.9	11.6	1.7	54.2	44.1	1.7			
									.5	1.1	18.8	2.5	5.3	8.3	1.1	2.6	4.1	37.0	6.7	11.1	11.0	1.5	55.8	42.8	1.4			

Drevina: BUK		100% kvalita kmeňov: D														Podiel poškodených stromov: 40%						Vek: 80 rokov									
Hrubka cm		Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kôry																		Och pad											
		I			II			III A						III B								SI-   IIB		V		VI					
		6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1	SI-   IIB	V		VI						
10																							81.5	17.6	.9						
12																							82.1	16.9	1.0						
14																				4.7	3.1	1.6	4.7	77.9	16.3	1.1					
16																				9.7	1.2	6.1	2.4	9.7	73.5	15.7	1.1				
18																				14.1	3.1	8.3	2.7	14.1	69.6	15.1	1.2				
20																				18.2	4.8	9.9	2.8	18.2	66.0	14.6	1.2				
22																				21.8	6.2	11.0	2.7	21.8	62.8	14.2	1.2				
24																				25.0				25.0	60.1	13.7	1.2				
26																				27.9	2.9	7.5	11.5	2.6	27.9	57.6	13.3	1.2			
28																				30.4	3.7	8.6	11.8	2.3	30.4	55.4	13.0	1.2			
30																				32.5	2.0	4.4	9.5	11.9	2.1	32.5	53.7	12.5	1.3		
32																				34.3	1.1	2.6	5.2	10.1	11.6	1.9	34.3	52.2	12.2	1.3	
34																				35.8	1.7	3.3	5.9	10.5	11.3	1.6	35.8	51.0	11.9	1.3	
																				35.8	2.5	4.0	6.5	10.8	10.6	1.4	35.8	51.0	11.9	1.3	

Drevina:BUK

100% kvalita kmenov:A

Podiel poškodených stromov: 0%

Vek:100rokov

Hrubka cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kôry																		Od- pad		
	I			II			III A			III B			SI-	V	VI						
	6	5	4	6	5	4	3	2	1	6	5	4	3	2	1	III B					
14										18.3						5.9			24.2	71.9	3.9
16		.6				5.0	1.6	3.4		21.6						7.9			35.1	61.5	3.4
18		1.4			.6					23.4						10.1			44.5	52.5	3.0
20		2.0				13.5				24.7						12.4			52.6	44.9	2.5
22		2.6			1.9					25.4						14.5			59.3	38.5	2.2
24		3.1			2.3					25.7						16.6			65.0	33.2	1.8
26		3.6			2.5					25.7						18.6			69.6	28.9	1.5
28		4.1			2.8					25.5						20.4			73.3	25.4	1.3
30	.1	1.1	2.9		.3	1.1	5.1	10.3	6.5	25.1						22.1			76.2	22.7	1.1
32	.1	1.4	3.1		.6	1.5	5.9	10.3	6.1	24.5						23.7			78.4	20.8	.8
34	.3	2.2	3.3		1.1	2.3	6.9	9.9	4.9	23.9						25.1			79.9	19.4	.7
36	.4	2.5	3.5		1.4	2.7	7.1	9.4	4.3	23.2						26.3			80.8	18.7	.5
38	.6	2.9	3.5		1.7	3.0	7.1	8.9	3.7	22.5						27.4			81.3	18.3	.4
40	.7	3.3	3.5		2.0	3.4	7.1	8.1	3.2	21.7						28.4			81.4	18.3	.3
42	.9	3.7	3.5		2.2	3.6	6.8	7.5	2.7	21.1						29.3			81.3	18.5	.2
44	1.1	4.0	3.4		2.5	3.9	6.5	6.7	2.3	20.4						30.1			80.9	19.0	.1
46	1.3	4.3	3.4		2.7	4.1	6.1	6.0	1.9	19.8						30.8			80.4	19.6	

Drevina:BUK

100% kvalita kmenov:B

Podiel poškodených stromov: 0%

Vek:100rokov

Hruška cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kôry																		SI- IIIB	V	VI	Od- pad			
	6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3					2	1	
14														14.6					6.4			21.0	74.1	4.9	
16																				9.8			30.7	64.9	4.4
18																				1.2			6.1	2.5	
20																				2.8			7.7	2.5	
22																				4.2			8.6	2.4	
24																				5.2			9.3	2.3	
26																				6.2			9.7	2.1	
28																				7.1			9.8	1.7	
30																				8.3			9.5	1.5	
32																				8.7			9.2	1.4	
34																				9.0			8.8	1.2	
36																				9.1			8.3	1.1	
38																				9.2			7.8	.9	
40																				9.0			7.2	.8	
42																				8.9			6.6	.6	
44																				8.6			6.1	.5	
46																				8.3			5.4	.4	

Drevina:BUK

100% kvalita kmeňov:C

Podiel poškodených stromov: 0%

Vek:100rokov

Hrúbka cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kóry																		Od- pad					
	I			II					III A					III B						SI- IIIB	V	VI		
	6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1				
14											5.0							9.7			14.7	79.2	6.1	
16											8.3							14.2			22.5	71.9	5.5	.1
18											11.1							18.2			29.3	65.6	5.0	.1
20											13.4							21.9			35.3	60.0	4.6	.1
22											15.3							25.2			40.5	55.2	4.1	.2
24											16.8							28.1			44.9	51.2	3.7	.2
26											17.9							30.7			48.6	47.8	3.4	.2
28											18.7							33.0			51.7	45.0	3.1	.2
30											19.2							35.0			54.2	42.8	2.8	.2
32											19.4							36.7			56.1	41.2	2.5	.2
34											19.3							38.3			57.6	39.9	2.2	.3
36											19.0							39.6			58.6	39.1	2.0	.3
38											18.6							40.7			59.3	38.6	1.8	.3
40											18.0							41.6			59.6	38.5	1.6	.3
42											17.3							42.4			59.7	38.5	1.5	.3
44											16.5							43.0			59.5	38.9	1.3	.3
46											15.6							43.6			59.2	39.3	1.2	.3

Drevina: BUK		100% kvalita kmeňov: D										Podiel poškodených stromov: 0%					Vek: 100 rokov								
Hrúbka cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kóry															SI- IIIB	V	VI	Och- pad						
	I			II			III A					III B													
	6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1					
14																	6.2		4.1	2.1	6.2	75.6	16.9	1.3	
16																	10.9	1.3	6.9	2.7	10.9	71.4	16.4	1.3	
18																	15.2	3.3	8.9	3.0	15.2	67.6	15.8	1.4	
20																	19.1	.7	5.0	10.4	3.0	19.1	64.1	15.4	1.4
22																	22.5	2.0	6.4	11.3	2.8	22.5	61.1	15.0	1.4
24															.5		25.6	2.9	7.7	11.9	2.6	25.6	58.4	14.5	1.5
26															1.5		28.2	3.7	8.7	11.9	2.4	28.2	56.1	14.2	1.5
28															.5	2.0	30.5	4.5	9.5	11.9	2.1	30.5	54.1	13.9	1.5
30															1.1	2.6	32.5	5.2	10.1	11.6	1.9	32.5	52.4	13.6	1.5
32															1.7	3.3	34.1	5.9	10.5	11.1	1.6	34.1	51.1	13.3	1.5
34															2.4	3.9	35.4	6.4	10.8	10.5	1.4	35.4	50.0	13.1	1.5
36															3.2	4.6	36.4	7.0	10.6	9.8	1.2	36.4	49.3	12.7	1.6
38															3.9	5.2	37.2	7.4	10.7	9.0	1.0	37.2	48.7	12.5	1.6
40															4.6	6.0	37.7	7.8	10.2	8.2	.9	37.7	48.4	12.3	1.6
42															5.3	6.6	38.0	8.1	9.9	7.4	.7	38.0	48.2	12.2	1.6
44															6.0	7.3	38.1	8.3	9.3	6.6	.6	38.1	48.3	12.0	1.6
46															6.7	7.9	38.0	8.4	8.7	5.8	.5	38.0	48.6	11.8	1.6

Drevina: BUK

100% kvalita kmenov: A

Podiel poškodených stromov: 20%

Vek: 100 rokov

Hruška cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kôry																								SI- III B	V	VI	Od- pad	
	I						II						III A						III B										
	6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1									
14																								4.9			22.0	74.1	3.9
16																								6.9			32.9	63.7	3.4
18		.7																						9.1			42.3	54.7	3.0
20		1.3																						11.3			50.3	47.2	2.5
22		1.9																						13.5			57.1	40.7	2.2
24		2.4																						15.6			62.8	35.4	1.8
26		2.9																						17.6			67.4	31.1	1.5
28		3.4																						19.4			71.1	27.6	1.3
30		3.9																						21.1			74.0	24.9	1.1
32		4.5																						22.7			76.2	23.0	.8
34		5.1																						24.1			77.7	21.6	.7
36		5.7																						25.3			78.6	20.9	.5
38		6.2																						26.4			79.1	20.5	.4
40		6.8																						27.4			79.2	20.5	.3
42		7.3																						28.2			79.0	20.8	.2
44		7.8																						29.1			78.7	21.2	.1
46		8.2																						29.8			78.2	21.8	

Drevina: BUK		100% kvalita kmeňov: B										Podiel poškodených stromov: 20%										Vek: 100 rokov							
Hrúbka cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kôry																				Odpad								
	I			II				III A					III B					SI- IIIB	V	VI									
6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1	6	5	4	3	2	1				
14														12.6															
16							1.2				.4	.8		17.7			.8	12.2	4.7						9.4				
18							3.8				1.6	2.2		20.5			2.3	13.8	4.4						12.5				
20		.1					5.9				.4	2.7	2.8	22.8			.1	3.8	14.8	4.1					15.3				
22		.7					7.3				.9	3.3	3.1	24.4			.8	4.8	15.2	3.6					17.9				
24		1.1					8.5				.2	1.4	3.8	25.7			.1	2	1.4	5.6	15.2	3.2			20.3				
26		1.3					9.6				.3	1.9	4.3	26.5			.2	.4	1.9	6.3	14.9	2.8			22.5				
28		1.5					10.4				.4	1.1		27.1			.3	.7	2.4	6.8	14.4	2.5			24.4				
30		1.6					11.1				.3	.7	4.6	27.3			.4	1.0	2.8	7.2	13.8	2.1			26.2				
32		1.8					11.4				.4	.9	3.0	27.2			.5	1.3	3.2	7.5	12.9	1.8			27.9				
34		1.9					11.7				.5	1.1	3.2	26.9			.7	1.5	3.5	7.6	12.1	1.5			29.3				
36		2.1					11.7				.7	1.3	3.3	26.4			.8	1.8	3.8	7.6	11.1	1.3			30.5				
38		2.3					11.5				.8	1.4	3.4	25.7			1.0	2.1	4.0	7.5	10.0	1.1			31.8				
40		2.5					11.1				.9	1.6	3.3	25.1			1.2	2.4	4.2	7.4	9.0	.9			32.7				
42		2.8					10.6				1.0	1.7	3.2	24.2			1.3	2.6	4.3	7.1	8.2	.7			33.7				
44		3.0					10.0				1.1	1.8	3.0	23.5			1.5	2.8	4.4	6.9	7.3	.6			34.5				
46		3.1					9.5				1.2	1.9	2.8	22.7			1.7	3.1	4.5	6.6	6.4	.4			35.3				
		1.4					2.8				1.2	1.9	2.8	2.7	.9		1.7	3.1	4.5	6.6	6.4	.4			7.8	8.1	5.4	.4	

Drevina: BUK

100% kvalita kmeňov: C

Podiel poškodených stromov: 20%

Vek: 100 rokov

Hrubka cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kôry															SI- IIIB	V	VI	Od pad										
	I			II			III A					III B																	
	6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1									
14												4.3						8.3				12.6	81.3	6.1					
16												7.6		2.9	1.4			12.8				20.4	74.0	5.5	.1				
18												10.4		.3	5.3	2.0		16.8		1.5	8.1	3.2	27.2	67.7	5.0	.1			
20												12.8		1.2	6.9	2.3		20.4		3.7	9.8	3.3	33.2	62.1	4.6	.1			
22												12.8		.1	2.2	8.2	2.3	20.4		.8	5.4	11.0	3.2	33.2	62.1	4.6	.1		
24												14.7		.5	2.9	9.1	2.2	23.7		2.1	6.7	11.9	3.0	38.4	57.3	4.1	.2		
26												16.1		.9	3.5	9.6	2.0	26.7		.6	3.1	8.0	12.3	2.7	42.8	53.3	3.7	.2	
28												17.3		.1	.3	1.2	4.1	9.8	1.8	1.5	3.8	9.0	12.5	2.5	46.6	49.8	3.4	.2	
30												18.0		.2	.5	1.6	4.5	9.6	1.6	.5	2.1	4.6	9.8	12.4	2.2	49.6	47.1	3.1	.2
32												18.5		.3	.6	1.9	4.9	9.4	1.4	1.1	2.7	5.4	10.4	12.1	1.9	52.1	44.9	2.8	.2
34												18.7		.4	.9	2.2	5.1	8.9	1.2	1.8	3.4	6.1	10.9	11.5	1.7	54.1	43.2	2.5	.2
36												18.7		.5	1.1	2.4	5.3	8.4	1.0	2.5	4.1	6.7	11.1	10.9	1.5	55.5	42.0	2.2	.3
38												18.4		.6	1.3	2.6	5.3	7.7	.9	3.3	4.8	7.3	11.3	10.2	1.3	56.6	41.1	2.0	.3
40												18.0		.7	1.5	2.8	5.3	7.0	.7	4.1	5.5	7.8	11.2	9.5	1.1	57.2	40.7	1.8	.3
42												17.4		.8	1.6	2.9	5.1	6.4	.6	4.9	6.4	8.3	10.9	8.8	.9	57.6	40.5	1.6	.3
44												16.7		.9	1.8	3.0	4.9	5.6	.5	5.7	7.1	8.7	10.7	7.9	.8	57.6	40.6	1.5	.3
46												15.8		1.0	1.9	3.0	4.6	4.9	.4	6.6	8.0	9.1	10.2	7.2	.6	57.5	40.9	1.3	.3
												15.0		1.1	2.0	3.0	4.4	4.2	.3	7.4	8.8	9.3	9.7	6.4	.5	57.1	41.4	1.2	.3

Drevina: BUK

100% kvalita kmeňov: D

Podiel poškodených stromov: 20%

Vek: 100 rokov

Hru- bka cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kôry																		Ođ- pad											
	I			II				III A					III B				SI- IIIB	V		VI										
	6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1										
14															5.3						3.5	1.8	5.3	76.5	16.9	1.3				
16															10.0						1.2	6.3	2.5	10.0	72.3	16.4	1.3			
18															14.3						3.1	8.4	2.8	14.3	68.5	15.8	1.4			
20															18.2						.7	4.8	9.9	2.8	18.2	65.0	15.4	1.4		
22															21.6						1.9	6.1	10.9	2.7	21.6	62.0	15.0	1.4		
24															24.7						.5	2.8	7.4	11.5	2.5	24.7	59.3	14.5	1.5	
26															27.3						1.4	3.6	8.4	11.6	2.3	27.3	57.0	14.2	1.5	
28															29.6						.5	2.0	4.3	9.2	11.5	2.1	29.6	55.0	13.9	1.5
30															31.6						1.1	2.6	5.1	9.8	11.2	1.8	31.6	53.3	13.6	1.5
32															33.2						1.7	3.2	5.7	10.2	10.8	1.6	33.2	52.0	13.3	1.5
34															34.5						2.4	3.8	6.3	10.4	10.2	1.4	34.5	50.9	13.1	1.5
36															35.6						3.1	4.5	6.8	10.5	9.5	1.2	35.6	50.1	12.7	1.6
38															36.3						3.8	5.1	7.3	10.3	8.8	1.0	36.3	49.6	12.5	1.6
40															36.8						4.5	5.8	7.6	10.1	8.0	.8	36.8	49.3	12.3	1.6
42															37.1						5.2	6.5	7.9	9.6	7.2	.7	37.1	49.1	12.2	1.6
44															37.2						5.9	7.1	8.1	9.1	6.4	.6	37.2	49.2	12.0	1.6
46															37.1						6.5	7.8	8.2	8.6	5.6	.4	37.1	49.5	11.8	1.6

Drevina:BUK

100% kvalita kmeňov:A

Podiel poškodených stromov:40%

Vek:100rokov

Hru bka cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kôry																		Od pad										
	I			II				III A					III B					SI- IIIB		V	VI								
	6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1									
14											15.9		10.5	5.4				3.9		2.6	1.3	19.8	76.3	3.9					
16						1.9					22.9		1.1	15.7	6.1				5.9	.7	3.7	1.5	30.7	65.9	3.4				
18						7.3		.6	1.3			24.7		2.8	16.5	5.4				8.1	1.8	4.7	1.6	40.1	56.9	3.0			
20		.6			.6						26.0		.1	4.4	16.8	4.7				10.3	.4	2.7	5.6	1.6	48.1	49.4	2.5		
22		1.1									26.7		.9	5.2	16.6	4.0				12.5	1.1	3.6	6.2	1.6	54.9	42.9	2.2		
24		1.6									27.0		.3	1.5	5.9	15.9	3.4		.3		14.6	1.7	4.4	6.7	1.5	60.6	37.6	1.8	
26		2.1									27.1		.2	.4	1.9	6.4	15.3	2.9		.9		16.5	2.2	5.1	6.9	1.4	65.2	33.3	1.5
28		2.7									26.8		.3	.7	2.3	6.8	14.3	2.4		.3	1.2	18.4	2.7	5.7	7.2	1.3	68.9	29.8	1.3
30		3.2									26.4		.4	.9	2.7	7.0	13.4	2.0		.7	1.6	20.1	3.2	6.2	7.2	1.2	71.8	27.1	1.1
32		3.8									25.8		.5	1.2	3.0	7.1	12.3	1.7		1.1	2.1	21.7	3.7	6.7	7.1	1.0	74.0	25.2	.8
34		4.3									25.3		.7	1.4	3.3	7.2	11.3	1.4		1.6	2.6	23.0	4.2	6.9	6.8	.9	75.5	23.8	.7
36		4.9									24.6		.8	1.7	3.5	7.1	10.3	1.2		2.1	3.0	24.2	4.6	7.2	6.5	.8	76.4	23.1	.5
38		5.5									23.8		.9	2.0	3.7	7.0	9.2	1.0		2.7	3.6	25.4	5.1	7.2	6.1	.7	76.9	22.7	.4
40		6.1									23.0		1.1	2.2	3.9	6.8	8.2	.8		3.2	4.2	26.4	5.5	7.1	5.8	.6	77.0	22.7	.3
42		6.6									22.4		1.2	2.4	4.0	6.6	7.6	.6		3.8	4.7	27.2	5.8	7.1	5.3	.5	76.8	23.0	.2
44		7.1									21.7		1.4	2.6	4.1	6.4	6.7	.5		4.4	5.4	28.1	6.1	6.9	4.9	.4	76.5	23.4	.1
46		7.5									21.2		1.6	2.9	4.2	6.1	6.0	.4		5.0	6.0	28.7	6.4	6.6	4.4	.3	76.0	24.0	

Drevina:BUK		100% kvalita kmenov:B												Podiel poškodených stromov:40%												Vek:100rokov							
Hruška cm	/	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kóry																		Och pad													
		I			II			III A			III B			SI-	V	VI																	
		6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1	SI- IIIB											
14																10.7						5.5						16.2	78.9	4.9			
16							.4		.3							16.6		.8	11.4	4.4		8.9		1.1	5.6	2.2		25.9	69.7	4.4			
18							3.0		1.3 1.7							19.4		2.2	13.0	4.2		12.0		2.6	7.1	2.3		34.4	61.6	4.0			
20							5.2		2.3 2.6							21.6		.1	3.6	14.0	3.9	14.9		.6	3.9	8.1	2.3	41.7	54.7	3.6			
22		.4					6.8		3.1 2.9							23.3		.8	4.5	14.5	3.5	17.4		1.5	4.9	8.8	2.2	47.9	48.9	3.2			
24		.8					8.0		1.3 2.9							24.5		.1	1.3	5.3	14.7	3.1	19.9		.4	2.3	6.0	9.2	2.0	53.2	44.0	2.8	
26		1.0					9.1		1.8 2.9		.2	.4	1.8	6.0	14.3	2.7	25.4						22.0		1.1	2.9	6.8	9.4	1.8	57.5	40.0	2.5	
28		1.2					9.9		2.2 2.8		.3	.6	2.3	6.5	13.8	2.4	25.9						24.0		.4	1.6	3.5	7.5	9.3	1.7	61.0	36.8	2.2
30		1.3					10.6		2.6 2.6		.4	.9	2.7	6.9	13.2	2.0	26.1						25.8		.9	2.1	4.1	8.0	9.2	1.5	63.8	34.3	1.9
32		1.4					11.0		2.9 2.4		.5	1.2	3.1	7.2	12.4	1.7	26.1						27.4		1.4	2.6	4.7	8.4	9.0	1.3	65.9	32.4	1.7
34		1.6					11.2		3.1 2.2		.7	1.5	3.4	7.3	11.4	1.4	25.7						28.9		2.0	3.2	5.3	8.6	8.6	1.2	67.4	31.1	1.5
36		1.8					11.2		3.2 1.9		.8	1.8	3.6	7.3	10.5	1.2	25.2						30.1		2.6	3.8	5.7	8.9	8.1	1.0	68.3	30.4	1.3
38		2.0					11.0		3.2 1.7		1.0	2.0	3.8	7.2	9.6	1.0	24.6						31.3		3.3	4.4	6.3	8.8	7.6	.9	68.9	30.0	1.1
40		2.2					10.6		3.1 1.4		1.1	2.2	4.0	7.1	8.7	.8	23.9						32.3		3.9	5.1	6.7	8.9	7.0	.7	69.0	30.0	1.0
42		2.4					10.2		3.0 1.2		1.3	2.5	4.1	6.8	7.7	.7	23.1						33.2		4.6	5.8	7.1	8.7	6.4	.6	68.9	30.3	.8
44		2.6					9.6		2.9 1.0		1.4	2.7	4.2	6.6	6.9	.5	22.3						34.1		5.4	6.5	7.4	8.4	5.9	.5	68.6	30.7	.6
46		2.8					9.0		2.6 .8		1.6	2.9	4.3	6.2	6.1	.4	21.5						34.8		6.1	7.3	7.7	8.0	5.3	.4	68.1	31.3	.5

Drevina:BUK

100% kvalita kmenov:C

Podiel poškodených stromov:40%

Vek:100rokov

Hru- bka cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kôry																		Od- pad								
	I			II					III A					III B						SI- IIIB	V	VI					
6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1								
14											3.7		2.5	1.2				6.9		4.6	2.3	10.6	83.3	6.1			
16											7.0	.3	4.8	1.9				11.3	1.4	7.1	2.8	18.3	76.1	5.5	.1		
18											9.8	1.1	6.6	2.1				15.4	3.4	9.0	3.0	25.2	69.7	5.0	.1		
20											12.1	.1	2.0	7.8	2.2			19.1	.7	5.0	10.4	3.0	31.2	64.1	4.6	.1	
22											14.0	.5	2.7	8.7	2.1			22.3	2.0	6.3	11.2	2.8	36.3	59.4	4.1	.2	
24										.1	15.5	.9	3.4	9.1	2.0			25.3	.5	2.9	7.6	11.7	2.6	40.8	55.3	3.7	.2
26								.1	.2	1.2	16.6		3.9	9.4	1.8		1.5	27.9	3.7	8.6	11.8	2.3	44.5	51.9	3.4	.2	
28								.2	.4	1.5	17.4		4.4	9.3	1.6	.5	2.0	30.2	4.4	9.4	11.8	2.1	47.6	49.1	3.1	.2	
30								.3	.6	1.8	17.9		4.7	9.1	1.4	1.1	2.6	32.2	5.2	10.0	11.4	1.9	50.1	46.9	2.8	.2	
32								.4	.8	2.1	18.1		5.0	8.6	1.2	1.7	3.3	33.9	5.8	10.4	11.1	1.6	52.0	45.3	2.5	.2	
34								.5	1.0	2.4	18.0		5.1	8.0	1.0	2.4	3.9	35.5	6.5	10.8	10.5	1.4	53.5	44.0	2.2	.3	
36								.6	1.2	2.6	17.8		5.1	7.4	.9	3.2	4.6	36.7	7.0	10.9	9.8	1.2	54.5	43.2	2.0	.3	
38								.7	1.4	2.7	17.3		5.1	6.7	.7	4.0	5.3	37.9	7.6	10.7	9.2	1.1	55.2	42.7	1.8	.3	
40								.8	1.6	2.8	16.7		4.9	6.0	.6	4.7	6.1	38.8	8.0	10.6	8.5	.9	55.5	42.6	1.6	.3	
42								.9	1.7	2.9	16.0		4.7	5.3	.5	5.5	6.9	39.6	8.4	10.3	7.7	.8	55.6	42.6	1.5	.3	
44								1.0	1.8	2.9	15.2		4.5	4.6	.4	6.4	7.7	40.2	8.8	9.7	7.0	.6	55.4	43.0	1.3	.3	
46								1.1	1.9	2.8	14.3		4.2	4.0	.3	7.1	8.5	40.8	9.1	9.4	6.2	.5	55.1	43.4	1.2	.3	

Drevina:BUK

100% kvalita kmenov:D

Podiel poškodených stromov:40%

Vek:100rokov

Hrúbka cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kôry																		Od- pad							
	I			II				III A					III B					SI- IIIB		V	VI					
	6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1						
14																	4.4					4.4	77.4	16.9	1.3	
16																	9.2					9.2	73.1	16.4	1.3	
18																	1.1	5.8	2.3							
20																	13.4					13.4	69.4	15.8	1.4	
22																	2.9	7.9	2.6							
24																	17.3					17.3	65.9	15.4	1.4	
26																	.7	4.5	9.4	2.7						
28																	20.7					20.7	62.9	15.0	1.4	
30																	1.8	5.9	10.4	2.6						
32																	23.8					23.8	60.2	14.5	1.5	
34																	.5	2.7	7.1	11.1	2.4					
36																	26.4					26.4	57.9	14.2	1.5	
38																	1.4	3.5	8.1	11.2	2.2					
40																	28.7					28.7	55.9	13.9	1.5	
42																	.5	1.9	4.2	8.9	11.2	2.0				
44																	30.7					30.7	54.2	13.6	1.5	
46																	1.0	2.5	4.9	9.5	11.0	1.8				
																	32.3					32.3	52.9	13.3	1.5	
																	1.6	3.1	5.6	9.9	10.5	1.6				
																	33.6					33.6	51.8	13.1	1.5	
																	2.3	3.7	6.1	10.3	9.9	1.3				
																	34.7					34.7	51.0	12.7	1.6	
																	3.0	4.4	6.6	10.2	9.3	1.2				
																	35.4					35.4	50.5	12.5	1.6	
																	3.7	5.0	7.1	10.0	8.6	1.0				
																	36.0					36.0	50.1	12.3	1.6	
																	4.4	5.7	7.5	9.8	7.8	.8				
																	36.2					36.2	50.0	12.2	1.6	
																	5.1	6.3	7.7	9.4	7.0	.7				
																	36.3					36.3	50.1	12.0	1.6	
																	5.7	6.9	7.9	9.0	6.3	.5				
																	36.2					36.2	50.4	11.8	1.6	
																	6.3	7.6	8.0	8.4	5.5	.4				

Drevina:BUK

100% kvalita kmeňov:A

Podiel poškodených stromov: 0%

Vek:120rokov

Hrubka cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kôry																		Od- pad						
	I			II			III A					III B					SI- IIIB	V		VI					
	6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1					
18		1.4					8.9						23.0						10.0				43.3	53.4	3.3
			1.4					3.8	5.1				2.6	15.4	5.0				2.2	5.8	2.0				
20		2.0					12.7						24.2						12.3				51.2	45.9	2.9
		.1	1.9				.8	5.7	6.2				.1	4.1	15.7	4.3			.5	3.2	6.7	1.9			
22		2.4					16.1						24.8						14.4				57.7	39.8	2.5
		.3	2.1				2.0	7.3	6.8				.8	4.8	15.5	3.7			1.3	4.1	7.2	1.8			
24		2.9					18.6						25.2						16.5				63.2	34.6	2.2
		.5	2.4				.3	3.0	8.5	6.8	.1	.2	1.4	5.5	14.8	3.2			.3	1.9	4.9	7.7	1.7		
26		3.3					20.7						25.2						18.4				67.6	30.5	1.9
		.8	2.5		.1	.7	4.0	9.3	6.6		.2	.4	1.8	6.0	14.1	2.7			1.0	2.4	5.7	7.8	1.5		
28		3.8					22.2						24.9						20.2				71.1	27.2	1.7
	.1	1.0	2.7		.3	1.0	4.9	9.8	6.2		.2	.6	2.2	6.3	13.3	2.3			.3	1.4	2.9	6.3	7.9	1.4	
30		4.2					23.2						24.5						21.9				73.8	24.7	1.5
	.1	1.3	2.8		.5	1.4	5.6	9.9	5.8		.4	.9	2.5	6.5	12.3	1.9		.7	1.8	3.5	6.8	7.8	1.3		
32		4.7					23.7						23.9						23.4				75.7	23.0	1.3
	.2	1.6	2.9		.8	1.8	6.2	9.7	5.2		.5	1.1	2.8	6.6	11.3	1.6	1.2	2.2	4.0	7.2	7.7	1.1			
34		5.2					23.8						23.3						24.7				77.0	21.9	1.1
	.3	1.9	3.0		1.0	2.2	6.5	9.5	4.6		.6	1.3	3.1	6.6	10.4	1.3	1.7	2.7	4.5	7.5	7.3	1.0			
36		5.8					23.5						22.5						25.9				77.7	21.3	1.0
	.4	2.3	3.1		1.3	2.5	6.7	9.0	4.0		.7	1.6	3.2	6.5	9.4	1.1	2.3	3.3	4.9	7.6	6.9	.9			
38		6.3					22.9						21.8						27.0				78.0	21.1	.9
	.5	2.6	3.2		1.6	2.8	6.7	8.3	3.5		.9	1.8	3.4	6.4	8.4	.9	2.8	3.8	5.4	7.7	6.5	.8			
40		6.8					22.1						21.0						28.0				77.9	21.3	.8
	.7	3.0	3.1		1.9	3.1	6.6	7.5	3.0		1.0	2.0	3.5	6.2	7.6	.7	3.4	4.4	5.8	7.7	6.1	.6			
42		7.3					21.1						20.3						28.8				77.5	21.8	.7
	.8	3.3	3.2		2.1	3.4	6.3	6.8	2.5		1.1	2.2	3.6	6.0	6.8	.6	4.0	5.0	6.1	7.6	5.6	.5			
44		7.7					20.0						19.6						29.7				77.0	22.4	.6
	1.0	3.6	3.1		2.3	3.6	5.9	6.1	2.1		1.3	2.4	3.7	5.8	5.9	.5	4.7	5.7	6.5	7.3	5.1	.4			
46		8.0					18.9						19.1						30.3				76.3	23.1	.6
	1.2	3.8	3.0		2.5	3.7	5.6	5.4	1.7		1.4	2.6	3.8	5.5	5.4	.4	5.3	6.3	6.7	7.0	4.6	.4			



Drevina:BUK

100% kvalita kmeňov:C

Podiel poškodených stromov: 0%

Vek:120rokov

Hruška cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kôry																Odpad									
	I			II				III A					III B					SI- IIIB	V	VI						
	6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1						
18											10.9						17.4					28.3	65.9	5.5	.3	
20												1.2	7.3	2.4				3.8	10.2	3.4		34.1	60.5	5.1	.3	
22											13.1						21.0					.8	5.5	11.4	3.3	
24											.1	2.2	8.5	2.3			14.9					24.2				
26											.5	2.9	9.3	2.2			.5	2.1	6.9	12.2	3.0	39.1	55.8	4.8	.3	
28											.1	16.3					.6	3.1	8.1	12.4	2.8	43.3	52.0	4.4	.3	
30										.1	.3	1.2	4.1	9.9	1.8		1.5	27.0				29.5				
32										.2	.5	1.6	4.5	9.6	1.6		.5	3.9	9.1	12.5	2.5	46.9	48.7	4.0	.4	
34										.2	.5	1.8	0				31.7					49.7	46.1	3.8	.4	
36										.3	.6	1.9	4.9	9.3	1.4		1.1	4.6	9.9	12.4	2.2	52.0	44.1	3.5	.4	
38										.3	.6	1.9	4.9	9.3	1.4		1.1	2.7	5.4	10.4	12.1	1.9	52.0	44.1	3.5	.4
40										.4	.9	2.2	5.1	8.7	1.2		1.8	3.4	6.1	10.8	11.5	1.7	53.8	42.5	3.3	.4
42										.5	1.0	2.4	5.2	8.3	1.0		2.5	4.1	6.7	11.0	10.9	1.5	55.1	41.4	3.0	.5
44										.6	1.3	2.6	5.2	7.5	.9		3.3	4.8	7.2	11.1	10.1	1.3	55.9	40.7	2.9	.5
46										.7	1.4	2.7	5.1	6.9	.7		4.1	5.5	7.8	10.9	9.4	1.1	56.3	40.5	2.7	.5
										.8	1.6	2.8	5.0	6.0	.6		4.8	6.3	8.2	10.8	8.7	.9	56.5	40.4	2.6	.5
										.9	1.7	2.9	4.7	5.3	.5		5.6	7.0	8.6	10.5	7.8	.8	56.3	40.7	2.5	.5
										1.0	1.8	2.9	4.4	4.6	.4		6.5	7.8	8.9	10.0	7.1	.6	56.0	41.2	2.3	.5
										1.1	1.9	2.8	4.1	4.0	.3		7.2	8.6	9.1	9.5	6.3	.5	55.4	41.9	2.2	.5

Drevina: BUK

100% kvalita kmeňov: D

Podiel poškodených stromov: 0%

Vek: 120 rokov

Hrúbka cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kóry															Och pad															
	I			II			III A			III B			SI- IIIB	V	VI																
	6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1											
18																					14.3	14.3	67.6	16.6	1.5						
20																						3.1	8.4	2.8	18.0	64.3	16.1	1.6			
22																						.7	4.7	9.8	2.8	21.3	61.4	15.7	1.6		
24																						1.9	6.0	10.7	2.7	24.1	58.9	15.3	1.7		
26																						.5	2.8	7.2	11.1	2.5	26.6	56.7	15.0	1.7	
28																						1.4	3.5	8.2	11.3	2.2	28.7	54.8	14.8	1.7	
30																						.5	1.9	4.2	8.9	11.2	2.0	30.4	53.4	14.5	1.7
32																						1.0	2.5	4.9	9.4	10.8	1.8	31.9	52.1	14.2	1.8
34																						1.6	3.1	5.5	9.8	10.4	1.5	33.0	51.2	14.0	1.8
36																						2.3	3.7	6.0	9.9	9.8	1.3	33.9	50.5	13.8	1.8
38																						2.9	4.3	6.5	9.9	9.1	1.2	34.4	50.1	13.7	1.8
40																						3.6	4.9	6.9	9.7	8.3	1.0	34.8	49.9	13.5	1.8
42																						4.2	5.5	7.2	9.5	7.6	.8	34.9	49.9	13.3	1.9
44																						4.9	6.1	7.4	9.0	6.8	.7	34.7	50.2	13.2	1.9
46																						5.5	6.6	7.6	8.5	6.0	.5	34.4	50.6	13.1	1.9
																						6.0	7.2	7.6	8.0	5.2	.4				

Drevina:BUK

100% kvalita kmeňov:A

Podiel poškodených stromov:20%

Vek:120rokov

Hruška cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kóry																					Od- pad	
	I			II				III A					III B					SI- IIIB	V	VI			
	6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1			
18		.7				7.8					23.6						9.0				41.1	55.6	3.3
			.7				3.4	4.4				2.6	15.9	5.1				2.0	5.2	1.8			
20		1.3				11.6					24.8						11.2				48.9	48.2	2.9
		.1	1.2			.7	5.2	5.7			.1	4.2	16.1	4.4			.4	2.9	6.2	1.7			
22		1.7				14.9					25.5						13.4				55.5	42.0	2.5
		.2	1.5			1.8	6.8	6.3			.8	5.0	15.9	3.8			1.2	3.8	6.7	1.7			
24		2.2				17.5					25.8						15.5				61.0	36.8	2.2
		.4	1.8		.3	2.8	8.0	6.4	.1	.2	1.4	5.6	15.2	3.3		.3	1.8	4.6	7.2	1.6			
26		2.6				19.6					25.8						17.4				65.4	32.7	1.9
		.6	2.0	.1	.7	3.8	8.7	6.3	.2	.4	1.8	6.1	14.6	2.7		.9	2.3	5.4	7.3	1.5			
28		3.0				21.1					25.6						19.2				68.9	29.4	1.7
	.1	.8	2.1	.3	1.0	4.6	9.3	5.9	.3	.6	2.2	6.5	13.7	2.3	.3	1.3	2.8	6.0	7.5	1.3			
30		3.5				22.1					25.1						20.9				71.6	26.9	1.5
	.1	1.1	2.3	.5	1.3	5.3	9.5	5.5	.4	.9	2.6	6.7	12.6	1.9	.7	1.7	3.3	6.5	7.5	1.2			
32		4.0				22.6					24.5						22.4				73.5	25.2	1.3
	.2	1.4	2.4	.7	1.7	5.9	9.4	4.9	.5	1.1	2.9	6.7	11.7	1.6	1.1	2.2	3.9	6.9	7.2	1.1			
34		4.5				22.7					23.9						23.7				74.8	24.1	1.1
	.2	1.7	2.6	1.0	2.1	6.2	9.0	4.4	.6	1.4	3.1	6.8	10.7	1.3	1.6	2.6	4.3	7.3	7.0	.9			
36		5.0				22.4					23.2						24.9				75.5	23.5	1.0
	.3	2.0	2.7	1.3	2.4	6.4	8.5	3.8	.7	1.6	3.3	6.7	9.8	1.1	2.2	3.1	4.8	7.3	6.7	.8			
38		5.6				21.8					22.4						26.0				75.8	23.3	.9
	.5	2.3	2.8	1.5	2.7	6.4	7.9	3.3	.9	1.8	3.5	6.6	8.7	.9	2.7	3.7	5.2	7.4	6.3	.7			
40		6.1				21.0					21.6						27.0				75.7	23.5	.8
	.6	2.7	2.8	1.8	3.0	6.2	7.2	2.8	1.0	2.0	3.6	6.4	7.9	.7	3.3	4.3	5.6	7.3	5.9	.6			
42		6.5				20.0					21.0						27.8				75.3	24.0	.7
	.7	3.0	2.8	2.0	3.2	6.0	6.4	2.4	1.2	2.3	3.8	6.2	6.9	.6	3.9	4.8	5.9	7.3	5.4	.5			
44		6.9				19.0					20.2						28.7				74.8	24.6	.6
	.9	3.2	2.8	2.2	3.4	5.6	5.8	2.0	1.3	2.4	3.8	5.9	6.3	.5	4.5	5.5	6.3	7.0	5.0	.4			
46		7.3				17.8					19.7						29.3				74.1	25.3	.6
	1.1	3.4	2.8	2.3	3.5	5.3	5.1	1.6	1.5	2.7	3.9	5.6	5.6	.4	5.1	6.1	6.5	6.7	4.5	.4			



Drevina:BUK

100% kvalita kmenov:C

Podiel poškodených stromov:20%

Vek:120rokov

Hrubka cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kóry																		Od- pad									
	I			II					III A					III B						SI- IIIB	V	VI						
	6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1								
18											10.2						16.1						26.3	67.9	5.5	.3		
20											1.1	6.9	2.2			3.5	9.5	3.1			19.6							
22											12.5						19.6						32.1	62.5	5.1	.3		
24											.1	2.1	8.1	2.2			.7	5.2	10.7	3.0			37.0	57.9	4.8	.3		
26											14.3						22.7						41.3	54.0	4.4	.3		
28											.5	2.8	8.9	2.1			2.0	6.4	11.5	2.8			44.8	50.8	4.0	.4		
30											15.7						.5	2.9	7.7	11.9	2.6			47.7	48.1	3.8	.4	
32											.1	.9	3.4	9.3	2.0			1.5	3.7	8.7	11.8	2.4			50.0	46.1	3.5	.4
34											16.7						.2	.4	1.5	4.4	9.3	1.6	.5	2.0				
36											17.4						.4	.8	2.1	4.9	8.5	1.2	1.7	3.2				
38											.2	.4	1.5	4.4	9.3	1.6			5.2	10.0	11.4	1.9	5.8	10.4	11.1	1.6		
40											17.8						.3	.6	1.8	4.7	9.0	1.4	1.1	2.6				
42											.4	.8	2.1	4.9	8.5	1.2			5.2	10.0	11.4	1.9	5.8	10.4	11.1	1.6		
44											17.9						.4	.8	2.1	4.9	8.5	1.2	1.7	3.2				
46											.5	1.0	2.3	5.0	8.0	1.0			5.8	10.4	11.4	1.9	5.8	10.4	11.1	1.6		
											17.8						.5	1.0	2.3	5.0	8.0	1.0	2.4	3.9				
											.6	1.2	2.5	5.0	7.3	.8			6.4	10.7	10.4	1.4	6.4	10.7	10.4	1.4		
											17.4						.6	1.2	2.5	5.0	7.3	.8	3.2	4.6				
											.7	1.4	2.6	5.0	6.5	.7			7.0	10.6	9.8	1.2	7.0	10.6	9.8	1.2		
											16.9						.7	1.4	2.6	5.0	6.5	.7	3.9	5.3				
											.7	1.4	2.6	5.0	6.5	.7			7.5	10.6	9.1	1.0	7.5	10.6	9.1	1.0		
											37.4						.9	1.5	2.7	4.8	5.8	.6	4.7	6.0				
											.8	1.5	2.7	4.8	5.8	.6			7.9	10.4	8.3	.9	7.9	10.4	8.3	.9		
											16.2						.9	1.5	2.7	4.8	5.8	.6	4.7	6.0				
											.8	1.7	2.8	4.5	5.2	.4			8.3	10.2	7.5	.7	8.3	10.2	7.5	.7		
											15.4						.6	1.7	2.8	4.5	5.2	.4	5.4	6.8				
											.8	1.7	2.8	4.5	5.2	.4			8.3	10.2	7.5	.7	8.3	10.2	7.5	.7		
											14.5						.6	1.7	2.8	4.5	5.2	.4	5.4	6.8				
											.9	1.8	2.7	4.3	4.5	.3			8.6	9.7	6.8	.6	8.6	9.7	6.8	.6		
											13.5						.5	1.8	2.7	4.3	4.5	.3	6.2	7.5				
											1.0	1.8	2.7	3.9	3.8	.3			8.9	9.1	6.1	.5	8.9	9.1	6.1	.5		
											13.5						.5	1.8	2.7	3.9	3.8	.3	6.2	7.5				
											1.0	1.8	2.7	3.9	3.8	.3			8.9	9.1	6.1	.5	8.9	9.1	6.1	.5		

Drevina:BUK

100% kvalita kmeňov:D

Podiel poškodených stromov:20%

Vek:120rokov

Hru- bka cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kôry																		Od- pad			
	I			II			III A					III B					SI-	V		VI		
	6	5	4	6	5	4	3	2	1	6	5	4	3	2	1	III B						
18																13.5			13.5	68.4	16.6	1.5
20																2.9	8.0	2.6	17.1	65.2	16.1	1.6
22																.6	4.5	9.3	20.4	62.3	15.7	1.6
24																1.8	5.8	10.2	23.2	59.8	15.3	1.7
26																.5	2.7	6.9	25.7	57.6	15.0	1.7
28																1.3	3.4	7.9	27.8	55.7	14.8	1.7
30																.4	1.9	4.1	29.5	54.3	14.5	1.7
32																1.0	2.4	4.7	31.0	53.0	14.2	1.8
34																1.6	3.0	5.3	32.1	52.1	14.0	1.8
36																2.2	3.6	5.8	33.0	51.4	13.8	1.8
38																2.9	4.2	6.3	33.5	51.0	13.7	1.8
40																3.5	4.7	6.7	33.9	50.8	13.5	1.8
42																4.1	5.4	7.0	34.0	50.8	13.3	1.9
44																4.8	5.9	7.2	33.8	51.1	13.2	1.9
46																5.3	6.5	7.4	33.5	51.5	13.1	1.9
																5.9	7.0	7.4				

Drevina:BUK

100% kvalita kmeňov:A

Podiel poškodených stromov:40%

Vek:120rokov

Hrúbka cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kôry																		Odpad							
	I			II					III A					III B						SI- IIIB	V	VI				
	6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1						
18						6.6						24.3						8.0			38.9	57.8	3.3			
							2.9	3.7					2.7	16.3	5.3				1.7	4.7	1.6					
20		.5				10.5						25.5						10.2			46.7	50.4	2.9			
			.5			.7	4.7	5.1				.1	4.3	16.5	4.6				.4	2.7	5.5	1.6				
22		1.0				13.7						26.2						12.4			53.3	44.2	2.5			
		.1	.9			1.7	6.2	5.8				.9	5.1	16.3	3.9				1.1	3.5	6.2	1.6				
24		1.4				16.4						26.5						14.5			58.8	39.0	2.2			
		.3	1.1			.3	2.6	7.5	6.0	.1	.2	1.5	5.8	15.6	3.3				.3	1.7	4.3	6.7	1.5			
26		1.9				18.4						26.5						16.4			63.2	34.9	1.9			
		.4	1.5	.1	.6	3.6	8.2	5.9	.2	.4	1.9	6.3	14.9	2.8				.9	2.1	5.1	6.9	1.4				
28		2.3				20.0						26.2						18.2			66.7	31.6	1.7			
		.6	1.7	.3	.9	4.4	8.8	5.6	.3	.7	2.3	6.6	13.9	2.4	.3	1.2	2.7	5.7	7.0	1.3						
30		2.8				20.9						25.8						19.9			69.4	29.1	1.5			
	.1	.9	1.8	.5	1.3	5.0	8.9	5.2	.4	.9	2.6	6.8	13.1	2.0	.7	1.6	3.2	6.2	7.0	1.2						
32		3.3				21.4						25.2						21.4			71.3	27.4	1.3			
	.1	1.1	2.1	.7	1.6	5.6	8.8	4.7	.5	1.2	2.9	6.9	12.0	1.7	1.1	2.1	3.7	6.6	6.9	1.0						
34		3.8				21.5						24.6						22.7			72.6	26.3	1.1			
	.2	1.4	2.2	.9	2.0	5.9	8.5	4.2	.6	1.4	3.2	7.0	11.0	1.4	1.6	2.5	4.1	6.9	6.7	.9						
36		4.3				21.3						23.8						23.9			73.3	25.7	1.0			
	.3	1.7	2.3	1.2	2.3	6.1	8.1	3.6	.8	1.7	3.4	6.9	9.9	1.1	2.1	3.0	4.6	7.0	6.4	.8						
38		4.8				20.7						23.1						25.0			73.6	25.5	.9			
	.4	2.0	2.4	1.4	2.6	6.1	7.5	3.1	.9	1.9	3.6	6.8	9.0	.9	2.6	3.5	5.0	7.1	6.1	.7						
40		5.3				19.9						22.3						26.0			73.5	25.7	.8			
	.5	2.3	2.5	1.7	2.8	5.9	6.8	2.7	1.0	2.1	3.7	6.6	8.1	.8	3.2	4.1	5.4	7.0	5.7	.6						
42		5.8				18.9						21.6						26.8			73.1	26.2	.7			
	.7	2.6	2.5	1.9	3.0	5.7	6.1	2.2	1.2	2.3	3.9	6.4	7.2	.6	3.8	4.7	5.7	6.9	5.2	.5						
44		6.2				17.8						20.9						27.6			72.5	26.9	.6			
	.8	2.9	2.5	2.0	3.2	5.3	5.5	1.8	1.3	2.5	4.0	6.1	6.5	.5	4.4	5.3	6.0	6.7	4.8	.4						
46		6.6				16.6						20.4						28.3			71.9	27.5	.6			
	1.0	3.1	2.5	2.2	3.3	4.8	4.8	1.5	1.5	2.8	4.0	5.9	5.8	.4	5.0	5.9	6.3	6.5	4.3	.3						

Drevina:BUK

100% kvalita kmeňov:B

Podiel poškodených stromov:40%

Vek:120rokov

Hrúbka cm	Podiel akostrných a hrúbkových tried výrezov v % z objemu hrubiny bez kôry																		Od- pad						
	I			II				III A					III B					SI- IIIB		V	VI				
	6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1					
18							2.6								19.2						11.5		33.3	62.2	4.5
								1.1	1.5							2.2	12.8	4.2				2.5	6.8	2.2	
20							4.8								21.3						14.3		40.4	55.5	4.1
							.3	2.2	2.3						.1	3.6	13.8	3.8			.5	3.8	7.8	2.2	
22		.4					6.2								23.0						16.8		46.4	49.9	3.7
			.4				.8	2.8	2.6						.8	4.5	14.3	3.4			1.5	4.8	8.4	2.1	
24		.7					7.4								24.2						19.2		51.5	45.1	3.4
		.1			.6		1.2	3.4	2.7					.1	1.3	5.3	14.5	3.0			.4	2.2	5.7	8.9	2.0
26		.9					8.4								25.0						21.3		55.6	41.3	3.0
		.2			.7		.3	1.6	3.8	2.7			.2	.4	1.8	5.9	14.0	2.7			1.1	2.8	6.6	9.0	1.8
28		1.1					9.2								25.4						23.2		58.9	38.2	2.8
		.3			.8	.1	.4	2.0	4.1	2.6			.3	.6	2.2	6.4	13.6	2.3		.4	1.6	3.4	7.2	9.0	1.6
30		1.2					9.8								25.5						25.0		61.5	35.9	2.5
		.4			.8	.2	.6	2.4	4.2	2.4			.4	.9	2.6	6.8	12.8	2.0		.9	2.0	4.0	7.8	8.8	1.5
32		1.3					10.1								25.4						26.6		63.4	34.2	2.3
		.1			.8	.3	.8	2.6	4.2	2.2			.5	1.2	3.0	7.0	12.0	1.7		1.4	2.6	4.6	8.2	8.5	1.3
34		1.5					10.2								25.0						27.9		64.6	33.1	2.2
		.1			.8	.4	.9	2.8	4.1	2.0			.7	1.4	3.3	7.1	11.1	1.4		1.9	3.1	5.1	8.4	8.3	1.1
36		1.6					10.2								24.5						29.1		65.4	32.5	1.9
		.1			.9	.6	1.1	2.9	3.9	1.7			.8	1.7	3.5	7.1	10.2	1.2		2.5	3.7	5.6	8.5	7.8	1.0
38		1.8					9.9								23.8						30.2		65.7	32.3	1.8
		.2			.9	.7	1.2	2.9	3.6	1.5			.9	2.0	3.7	7.0	9.2	1.0		3.2	4.3	6.0	8.6	7.3	.8
40		2.0					9.5								23.0						31.2		65.7	32.5	1.6
		.2			.9	.8	1.3	2.8	3.3	1.3			1.1	2.2	3.9	6.8	8.2	.8		3.8	4.9	6.5	8.5	6.8	.7
42		2.2					8.9								22.2						32.1		65.4	32.9	1.5
		.3			.9	.9	1.4	2.7	2.8	1.1			1.2	2.4	4.0	6.5	7.5	.6		4.5	5.6	6.8	8.4	6.2	.6
44		2.4					8.3								21.2						33.0		64.9	33.5	1.4
		.3			1.0	.9	1.5	2.5	2.5	.9			1.4	2.6	4.0	6.2	6.5	.5		5.2	6.3	7.2	8.1	5.7	.5
46		2.6					7.5								20.5						33.6		64.2	34.3	1.3
		.4			1.0	1.0	1.5	2.2	2.1	.7			1.5	2.8	4.1	5.9	5.8	.4		5.9	7.0	7.5	7.7	5.1	.4

Drevina:BUK

100% kvalita kmenov:C

Podiel poškodených stromov:40%

Vek:120rokov

Hrúbka cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kôry																		Odpad												
	I			II			III A					III B					SI- IIIB	V		VI											
	6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1											
18									9.6												14.6				24.2	70.0	5.5	.3			
20										1.1	6.4	2.1										3.2	8.6	2.8	30.0	64.6	5.1	.3			
22									11.8													18.2			35.0	59.9	4.8	.3			
24									.1	2.0	7.6	2.1										.7	4.8	9.9	2.8	39.2	56.1	4.4	.3		
26									13.7													21.3			42.7	52.9	4.0	.4			
28									.5	2.7	8.5	2.0										1.9	6.0	10.7	2.7	45.6	50.2	3.8	.4		
30									.8	3.3	9.0	1.9										.5	2.8	7.2	11.1	2.5	47.9	48.2	3.5	.4	
32									16.1													2.8	8.2	11.3	2.2	49.7	46.6	3.3	.4		
34									.1	.2	1.1	3.8	9.2	1.7								1.4	3.5	8.2	11.3	2.2	50.9	45.6	3.0	.5	
36									16.8													2.8	9.0	11.2	2.0	51.8	44.8	2.9	.5		
38									.2	.4	1.5	4.2	9.0	1.5								.5	1.9	4.2	9.0	11.2	2.0	52.2	44.6	2.7	.5
40									17.2													3.8	5.1	7.2	10.1	8.7	1.0	52.3	44.6	2.6	.5
42									.3	.6	1.8	4.6	8.6	1.3								1.0	2.5	4.9	9.5	11.0	1.8	52.2	44.8	2.5	.5
44									17.3													1.7	3.1	5.6	9.9	10.5	1.6	51.8	45.4	2.3	.5
46									.3	.8	2.0	4.8	8.3	1.1								1.7	3.1	5.6	9.9	10.5	1.6	51.3	46.0	2.2	.5
									17.1													2.3	3.8	6.2	10.1	10.0	1.4				
									16.8													3.0	4.4	6.7	10.3	9.4	1.2				
									16.3													3.8	5.1	7.2	10.1	8.7	1.0				
									15.6													4.5	5.8	7.6	10.0	8.0	.8				
									14.8													5.2	6.5	8.0	9.7	7.3	.7				
									13.9													6.0	7.2	8.3	9.2	6.6	.6				
									12.9													6.7	8.0	8.5	8.9	5.8	.5				
									1.0	1.7	2.6	3.7	3.7	.2								6.7	8.0	8.5	8.9	5.8	.5				

Drevina:BUK		100% kvalita kmeňov:D										Podiel poškodených stromov:40%										Vek:120rokov				
Hrubka cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kóry																		Od- pad							
	I			II			III A						III B							SI-	V	VI				
	6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1	III B					
18															12.6						12.6	69.3	16.6	1.5		
20																		2.7	7.4	2.5	16.2		66.1	16.1	1.6	
22																		4.3	8.8	2.5	19.5		63.2	15.7	1.6	
24																		5.5	9.9	2.4	22.3		60.7	15.3	1.7	
26																		2.6	6.7	2.3	24.8		58.5	15.0	1.7	
28															1.3			3.2	7.6	2.1	26.9		56.6	14.8	1.7	
30																		3.9	8.4	1.9	28.6		55.2	14.5	1.7	
32															1.0	2.3		4.6	8.9	1.7	30.1		53.9	14.2	1.8	
34															1.5	2.9		5.2	9.2	1.4	31.2		53.0	14.0	1.8	
36															2.2	3.5		5.7	9.4	1.2	32.1		52.3	13.8	1.8	
38															2.8	4.0		6.1	9.5	1.1	32.7		51.8	13.7	1.8	
40															3.4	4.6		6.5	9.4	.9	33.0		51.7	13.5	1.8	
42															4.0	5.2		6.8	9.0	.8	33.1		51.7	13.3	1.9	
44															4.6	5.8		7.1	8.6	.6	33.0		51.9	13.2	1.9	
46															5.2	6.3		7.2	8.1	.5	32.6		52.4	13.1	1.9	
															5.7	6.8		7.2	7.5	.4						

Drevina: BUK

100% kvalita kmeňov: A

Podiel poškodených stromov: 0%

Vek: 140 rokov

Hrúbka cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kôry																		Och pad					
	I			II					III A					III B						SI- IIIB	V	VI		
	6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1				
22		2.2				15.2								24.4						14.2	56.0	41.2	2.8	
		.3	1.9			1.9	6.9	6.4						.8	4.8	15.2	3.6			1.2	4.0	7.2	1.8	
24		2.6				17.7								24.7						16.3	61.3	36.2	2.5	
		.5	2.1			.3	2.8	8.1	6.5					.1	1.4	5.4	14.7	3.1		.3	1.9	4.9	7.5	1.7
26		2.9				19.7								24.7						18.2	65.5	32.2	2.3	
		.7	2.2		.1	.7	3.8	8.8	6.3		.1	.4	1.8	5.9	13.9	2.6			.9	2.4	5.6	7.8	1.5	
28		3.3				21.1								24.4						20.0	68.8	29.1	2.1	
	.1	.9	2.3		.3	1.0	4.6	9.3	5.9		.2	.6	2.1	6.1	13.2	2.2			.3	1.3	2.9	6.2	7.9	1.4
30		3.7				22.0								23.9						21.6	71.2	26.9	1.9	
	.1	1.2	2.4		.5	1.3	5.3	9.4	5.5		.4	.8	2.4	6.3	12.2	1.8			.7	1.7	3.5	6.7	7.7	1.3
32		4.2				22.3								23.4						23.0	72.9	25.4	1.7	
	.2	1.4	2.6		.7	1.7	5.8	9.2	4.9		.5	1.1	2.7	6.4	11.2	1.5			1.2	2.2	4.0	7.1	7.4	1.1
34		4.6				22.4								22.6						24.4	74.0	24.4	1.6	
	.3	1.7	2.6		1.0	2.1	6.1	8.9	4.3		.6	1.3	3.0	6.4	10.0	1.3			1.7	2.7	4.4	7.4	7.2	1.0
36		5.1				22.0								21.9						25.6	74.6	23.9	1.5	
	.4	2.0	2.7		1.3	2.4	6.3	8.2	3.8		.7	1.5	3.2	6.3	9.1	1.1			2.2	3.2	4.9	7.5	6.9	.9
38		5.5				21.4								21.1						26.6	74.6	24.0	1.4	
	.5	2.3	2.7		1.5	2.7	6.3	7.7	3.2		.8	1.7	3.3	6.2	8.2	.9			2.8	3.8	5.3	7.6	6.4	.7
40		6.0				20.4								20.3						27.6	74.3	24.4	1.3	
	.6	2.6	2.8		1.7	2.9	6.1	7.0	2.7		1.0	1.9	3.4	6.0	7.3	.7			3.4	4.4	5.7	7.5	6.0	.6
42		6.4				19.3								19.6						28.4	73.7	25.1	1.2	
	.7	2.9	2.8		1.9	3.1	5.8	6.2	2.3		1.1	2.1	3.5	5.8	6.5	.6			4.0	4.9	6.0	7.5	5.5	.5
44		6.7				18.2								18.9						29.1	72.9	25.9	1.1	
	.9	3.1	2.7		2.1	3.3	5.4	5.5	1.9		1.2	2.3	3.6	5.6	5.7	.5			4.6	5.6	6.3	7.2	5.0	.4
46		7.0				16.9								18.3						29.8	72.0	26.9	1.0	
	1.0	3.4	2.6		2.2	3.3	5.0	4.9	1.5		1.4	2.5	3.6	5.3	5.2	.3			5.2	6.2	6.6	6.9	4.5	.4
48		7.2				15.7								17.8						30.4	71.1	27.8	1.0	
	1.2	3.5	2.5		2.3	3.4	4.6	4.2	1.2		1.5	2.7	3.7	5.0	4.6	.3			5.9	6.9	6.8	6.5	4.0	.3
50		7.2				14.7								17.4						31.0	70.3	28.6	1.0	
	1.3	3.6	2.3		2.5	3.5	4.0	3.7	1.0		1.7	2.9	3.7	4.9	4.0	.2			6.5	7.6	7.1	6.1	3.5	.2
52		7.1				13.8								17.2						31.4	69.5	29.5	.9	
	1.4	3.6	2.1		2.6	3.6	3.6	3.2	.8		1.8	3.1	3.8	4.7	3.6	.2			7.2	8.2	7.2	5.6	3.0	.2
54		6.8				13.1								17.3						31.8	69.0	30.0	.9	
	1.5	3.4	1.9		2.7	3.7	3.3	2.8	.6		2.1	3.4	3.9	4.6	3.2	.1			7.8	9.0	7.3	5.1	2.5	.1

Drevina:BUK

100% kvalita kmeňov:B

Podiel poškodených stromov: 0%

Vek:140rokov

Hruška cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kôry																		Od- pad								
	I			II			III A					III B					SI- IIIB	V		VI							
	6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1							
22	1.0	.1	.9			6.5	.8	3.0	2.7			24.9	.8	4.9	15.5	3.7			17.2	1.5	4.9	8.6	2.2	49.6	46.1	4.2	.1
24	1.4	.3	1.1		.1	7.6	1.2	3.5	2.8	.1	.2	26.0	1.4	5.6	15.4	3.3	.4	2.2	19.4	5.8	9.0	2.0		54.4	41.6	3.8	.2
26	1.6	.4	1.2		.3	8.5	1.6	3.9	2.7	.2	.4	26.7	1.9	6.3	15.1	2.8	1.1	2.8	21.6	6.7	9.2	1.8		58.4	37.9	3.5	.2
28	1.7	.5	1.2	.1	.4	9.2	2.0	4.1	2.6	.3	.7	27.2	2.4	6.9	14.4	2.5	.4	1.6	23.4	7.3	9.1	1.6		61.5	35.0	3.3	.2
30	1.8	.6	1.1	.2	.6	9.7	2.3	4.2	2.4	.4	1.0	27.3	2.8	7.2	13.8	2.1	.9	2.0	25.1	7.8	8.9	1.5		63.9	32.8	3.1	.2
32	1.9	.6	1.2	.3	.8	10.0	2.6	4.1	2.2	.5	1.2	27.0	3.2	7.4	12.9	1.8	1.4	2.6	26.6	8.2	8.5	1.3		65.5	31.4	2.9	.2
34	2.0	.7	1.2	.4	.9	10.1	2.8	4.0	2.0	.7	1.5	26.6	3.5	7.5	11.9	1.5	1.9	3.1	27.9	8.4	8.3	1.1		66.6	30.4	2.7	.3
36	2.2	.9	1.1	.6	1.1	9.9	2.8	3.7	1.7	.8	1.8	26.0	3.7	7.5	11.0	1.2	2.5	3.7	29.1	8.5	7.8	1.0		67.2	29.9	2.6	.3
38	2.3	1.0	1.1	.7	1.2	9.6	2.8	3.5	1.4	1.0	2.1	25.2	3.9	7.4	9.8	1.0	3.2	4.3	30.2	8.6	7.3	.8		67.3	29.9	2.5	.3
40	2.5	1.1	1.2	.8	1.3	9.1	2.7	3.1	1.2	1.1	2.3	24.4	4.1	7.2	8.9	.8	3.8	4.9	31.1	8.5	6.8	.7		67.1	30.2	2.4	.3
42	2.7	1.2	1.2	.8	1.4	8.5	2.5	2.8	1.0	1.3	2.5	23.4	4.2	6.9	7.8	.7	4.5	5.6	32.0	8.3	6.2	.6		66.6	30.8	2.2	.4
44	2.9	1.3	1.2	.9	1.4	7.7	2.3	2.3	.8	1.4	2.7	22.6	4.3	6.6	7.1	.5	5.2	6.2	32.6	8.0	5.6	.5		65.8	31.7	2.1	.4
46	3.0	1.5	1.1	.9	1.4	7.0	2.1	2.0	.6	1.6	2.9	21.7	4.3	6.4	6.1	.4	5.8	7.0	33.3	7.6	5.1	.4		65.0	32.5	2.1	.4
48	3.1	1.5	1.1	.9	1.4	6.2	1.7	1.7	.5	1.8	3.1	20.9	4.3	6.0	5.4	.3	6.5	7.7	33.9	7.3	4.5	.3		64.1	33.5	2.0	.4
50	3.1	1.5	1.0	.9	1.3	5.5	1.5	1.4	.4	1.9	3.3	20.2	4.3	5.8	4.7	.2	7.3	8.4	34.4	6.8	3.9	.2		63.2	34.4	2.0	.4
52	3.0	1.5	.9	.9	1.3	4.9	1.3	1.1	.3	2.1	3.5	19.6	4.3	5.4	4.1	.2	8.0	9.2	34.9	6.2	3.3	.2		62.4	35.3	1.8	.5
54	2.8	1.4	.8	.9	1.3	4.4	1.1	.9	.2	2.3	3.7	19.3	4.4	5.2	3.6	.1	8.7	9.9	35.3	5.7	2.8	.1		61.8	35.9	1.8	.5

Drevina:BUK

100% kvalita kmenov:C

Podiel poškodených stromov: 0%

Vek:140rokov

Hrúbka cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kôry																		Og pad					
	I			II				III A					III B					SI- IIIB		V	VI			
	6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1				
22									14.4						23.2						37.6	56.6	5.3	.5
									.5	2.8	9.0	2.1			2.0	6.6	11.7	2.9						
24									.1	15.8					.5	25.8					41.6	52.9	5.0	.5
									.9	3.4	9.4	2.0				3.0	7.7	12.0	2.6					
26									.1	16.7					.3	28.3					45.0	49.8	4.7	.5
									.3	1.2	4.0	9.3	1.8		1.5	3.7	8.7	12.0	2.4					
28									.2	17.3					.4	30.3					47.6	47.4	4.4	.6
									.4	1.5	4.4	9.2	1.6		.5	2.0	4.4	9.4	11.9	2.1				
30									.3	17.6					1.1	32.1					49.7	45.5	4.2	.6
									.6	1.8	4.7	8.8	1.4		2.6	5.1	10.0	11.4	1.9					
32									.4	17.6					1.7	33.7					51.3	44.0	4.1	.6
									.8	2.1	4.8	8.3	1.2		3.2	5.8	10.3	11.1	1.6					
34									.5	17.4					2.4	35.0					52.4	43.1	3.9	.6
									1.0	2.3	4.9	7.7	1.0		3.9	6.4	10.5	10.4	1.4					
36									.5	17.0					3.1	36.0					53.0	42.6	3.7	.7
									1.2	2.4	4.9	7.2	.8		4.5	6.9	10.7	9.6	1.2					
38									.6	16.3					3.9	37.0					53.3	42.4	3.6	.7
									1.3	2.5	4.8	6.4	.7		5.2	7.4	10.5	9.0	1.0					
40									.7	15.6					4.6	37.6					53.2	42.6	3.5	.7
									1.5	2.6	4.6	5.7	.5		5.9	7.8	10.2	8.2	.9					
42									.8	14.7					5.3	38.1					52.8	43.1	3.4	.7
									1.6	2.6	4.3	5.0	.4		6.6	8.1	10.0	7.4	.7					
44									.9	13.7					6.1	38.6					52.3	43.7	3.2	.8
									1.7	2.6	4.0	4.2	.3		7.4	8.4	9.4	6.7	.6					
46									.9	12.6					6.8	39.0					51.6	44.4	3.2	.8
									1.7	2.5	3.7	3.6	.2		8.2	8.7	8.9	5.9	.5					
48									1.0	11.6					7.5	39.1					50.7	45.4	3.1	.8
									1.7	2.4	3.3	3.0	.2		8.8	8.8	8.4	5.2	.4					
50									1.0	10.5					8.3	39.3					49.8	46.3	3.1	.8
									1.7	2.2	3.1	2.4	.1		9.6	9.0	7.7	4.4	.3					
52									1.0	9.5					9.0	39.4					48.9	47.3	3.0	.8
									1.7	2.1	2.6	2.0	.1		10.3	9.1	7.1	3.7	.2					
54									1.0	8.5					9.7	39.6					48.1	48.1	3.0	.8
									1.6	1.9	2.3	1.6	.1		11.2	9.1	6.4	3.1	.1					

Drevina:BUK		100% kvalita kmeňov:D												Podiel poškodených stromov: 0%					Vek:140rokov								
Hruška cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kôry															SI- IIIB	V	VI	Od pad								
	6	I	4	6	5	II	4	3	2	6	5	III	A	4	3					2	1	6	5	III	B	4	3
22																					19.9	19.9	61.9	16.4	1.8		
																					1.8	5.7	9.9	2.5			
24																						22.5	22.5	59.5	16.2	1.8	
																					.5	2.6	6.7	10.4	2.3		
26																						24.8	24.8	57.5	15.8	1.9	
																					1.3	3.2	7.6	10.6	2.1		
28																						26.7	26.7	55.8	15.6	1.9	
																					.4	1.8	3.9	8.3	10.4	1.9	
30																						28.3	28.3	54.4	15.3	2.0	
																					1.0	2.3	4.5	8.8	10.1	1.6	
32																						29.5	29.5	53.3	15.2	2.0	
																					1.5	2.8	5.1	9.1	9.6	1.4	
34																						30.5	30.5	52.5	15.0	2.0	
																					2.1	3.4	5.6	9.2	9.0	1.2	
36																						31.1	31.1	52.0	14.8	2.1	
																					2.7	3.9	5.9	9.2	8.3	1.1	
38																						31.5	31.5	51.7	14.7	2.1	
																					3.3	4.4	6.3	9.0	7.6	.9	
40																						31.7	31.7	51.6	14.6	2.1	
																					3.9	5.0	6.6	8.6	6.9	.7	
42																						31.6	31.6	51.8	14.5	2.1	
																					4.4	5.5	6.7	8.3	6.1	.6	
44																						31.3	31.3	52.2	14.4	2.1	
																					4.9	6.0	6.8	7.7	5.4	.5	
46																						30.8	30.8	52.7	14.3	2.2	
																					5.4	6.4	6.8	7.1	4.7	.4	
48																						30.1	30.1	53.5	14.2	2.2	
																					5.8	6.8	6.8	6.4	4.0	.3	
50																						29.2	29.2	54.5	14.1	2.2	
																					6.2	7.0	6.7	5.8	3.3	.2	
52																						28.2	28.2	55.5	14.1	2.2	
																					6.4	7.5	6.5	5.0	2.7	.1	
54																						27.1	27.1	56.7	14.0	2.2	
																					6.7	7.6	6.2	4.4	2.1	.1	

Drevina:BUK

100% kvalita kmeňov:A

Podiel poškodených stromov:20%

Vek:140rokov

Hru bka cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kôry																		Od- pad								
	I			II					III A					III B						SI- IIIB	V	VI					
6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1								
22	1.5	.2	1.3		14.0		1.7	6.4	5.9				25.1							13.2				53.8	43.4	2.8	
24	1.9	.3	1.6		16.5		.3	2.7	7.5	6.0		.1	.2	1.4	4.9	15.7	3.7			15.2				59.0	38.5	2.5	
26	2.2	.5	1.7	.1	18.6		.6	3.6	8.3	6.0		.2	.4	2.5	6.0	14.2	2.7			17.2				63.3	34.4	2.3	
28	2.6	.7	1.9	.3	19.9		.9	4.4	8.7	5.6		.3	.6	2.2	6.3	13.4	2.3			18.9				66.5	31.4	2.1	
30	3.0	.9	2.0	.5	20.8		1.3	5.0	8.8	5.2		.4	.9	2.5	6.5	12.4	1.9			20.6				69.0	29.1	1.9	
32	3.4	1.2	2.1	.7	21.3		1.6	5.5	8.8	4.7		.5	1.1	2.8	6.6	11.4	1.6			22.0				70.7	27.6	1.7	
34	3.9	1.4	2.3	.9	21.2		2.0	5.8	8.4	4.1		.6	1.3	3.1	6.6	10.4	1.3			23.4				71.8	26.6	1.6	
36	4.3	1.7	2.3	1.2	20.9		2.2	6.0	7.9	3.6		.7	1.6	3.3	6.5	9.4	1.1			24.5				72.3	26.2	1.5	
38	4.8	2.0	2.4	1.4	20.2		2.5	5.9	7.3	3.1		.9	1.8	3.4	6.4	8.4	.9			25.6				72.4	26.2	1.4	
40	5.2	2.3	2.4	1.6	19.4		2.8	5.8	6.6	2.6		1.0	2.0	3.5	6.2	7.5	.7			26.6				72.1	26.6	1.3	
42	5.6	2.6	2.4	1.8	18.3		2.9	5.5	5.9	2.2		1.1	2.2	3.6	5.9	6.8	.6			27.4				71.5	27.3	1.2	
44	6.0	2.8	2.4	1.9	17.0		3.0	5.0	5.3	1.8		1.3	2.4	3.7	5.8	5.9	.5			28.1				70.7	28.1	1.1	.1
46	6.3	3.0	2.4	2.1	15.8		3.1	4.6	4.6	1.4		1.4	2.6	3.7	5.5	5.3	.4			28.8				69.8	29.1	1.0	.1
48	6.4	3.2	2.2	2.2	14.7		3.2	4.2	4.0	1.1		1.5	2.7	3.8	5.4	4.7	.3			29.4				68.9	30.0	1.0	.1
50	6.5	3.2	2.1	2.3	13.5		3.2	3.7	3.4	.9		1.7	3.0	3.9	5.1	4.2	.2			29.9				68.0	30.9	1.0	.1
52	6.4	3.2	1.9	2.3	12.6		3.3	3.4	2.9	.7		1.9	3.2	4.0	4.9	3.7	.2			30.4				67.3	31.7	.9	.1
54	6.1	3.1	1.7	2.5	11.9		3.3	3.0	2.5	.6		2.1	3.5	4.1	4.9	3.3	.1			30.8				66.8	32.2	.9	.1

Drevina: BUK		100% kvalita kmeňov: B															Vek: 140 rokov							
		Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kôry																		Odpad				
Hrúbka cm	bka	I			II			III A					III B					SI- IIIB	V		VI			
		6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5			4		3	2	1
22		.7			6.0					23.8						15.7					47.2	48.5	4.2	.1
		.1	.6		.7	2.8	2.5			.8	4.6	14.9	3.5			1.5	4.7	8.4	2.1					
24		1.0			7.2					24.8						19.0					52.0	44.0	3.8	.2
		.2	.8		1.2	3.3	2.6			.1	1.4	5.4	14.8	3.1		.4	2.2	5.7	8.8	1.9				
26		1.2			8.1					25.6						21.1					56.0	40.3	3.5	.2
		.3	.9		1.6	3.6	2.6			.2	.4	1.8	6.1	14.4	2.7	1.1	2.8	6.5	8.9	1.8				
28		1.3			8.8					26.0						23.0					59.1	37.4	3.3	.2
		.4	.9	.1	.4	1.9	3.9	2.5		.3	.7	2.3	6.6	13.7	2.4	.4	1.5	3.4	7.2	8.9	1.6			
30		1.4			9.4					26.0						24.6					61.4	35.3	3.1	.2
		.4	1.0	.2	.6	2.3	4.0	2.3		.4	.9	2.7	6.9	13.1	2.0	.8	2.0	3.9	7.6	8.9	1.4			
32		1.6			9.5					25.9						26.1					63.1	33.8	2.9	.2
		.5	1.0	.3	.7	2.5	3.9	2.1		.5	1.2	3.0	7.1	12.4	1.7	1.3	2.5	4.5	8.0	8.5	1.3			
34		1.7			9.6					25.4						27.5					64.2	32.8	2.7	.3
		.6	1.0	.4	.9	2.6	3.8	1.9		.7	1.4	3.3	7.2	11.4	1.4	1.9	3.1	5.0	8.3	8.1	1.1			
36		1.8			9.5					24.8						28.7					64.8	32.3	2.6	.3
		.7	1.0	.5	1.0	2.7	3.7	1.6		.8	1.7	3.6	7.1	10.4	1.2	2.5	3.6	5.5	8.4	7.7	1.0			
38		2.0			9.1					24.1						29.7					64.9	32.3	2.5	.3
		.8	1.0	.6	1.1	2.7	3.3	1.4		.9	2.0	3.8	7.1	9.3	1.0	3.1	4.2	5.9	8.5	7.2	.8			
40		2.2			8.6					23.2						30.7					64.7	32.6	2.4	.3
		1.0	1.0	.7	1.2	2.6	2.9	1.2	1.1	2.2	3.9	6.8	8.4	.8	3.7	4.9	6.4	8.3	6.7	.7				
42		2.4			8.0					22.3						31.5					64.2	33.2	2.2	.4
		1.1	1.0	.8	1.3	2.4	2.6	.9	1.2	2.4	4.0	6.6	7.5	.6	4.4	5.5	6.7	8.2	6.1	.6				
44		2.5			7.3					21.4						32.2					63.4	34.1	2.1	.4
		1.2	1.0	.8	1.3	2.2	2.2	.8	1.4	2.6	4.0	6.3	6.6	.5	5.1	6.2	7.0	7.8	5.6	.5				
46		2.7			6.5					20.5						32.9					62.6	34.9	2.1	.4
		1.3	1.0	.9	1.3	1.9	1.8	.6	1.5	2.8	4.1	5.9	5.8	.4	5.8	6.9	7.3	7.5	5.0	.4				
48		2.8			5.7					19.7						33.5					61.7	35.9	2.0	.4
		1.3	1.0	.8	1.2	1.8	1.5	.4	1.7	2.9	4.1	5.6	5.1	.3	6.5	7.6	7.5	7.2	4.4	.3				
50		2.8			5.0					19.0						34.0					60.8	36.8	2.0	.4
		1.4	.9	.8	1.2	1.4	1.3	.3	1.8	3.1	4.1	5.4	4.4	.2	7.2	8.3	7.8	6.7	3.8	.2				
52		2.7			4.4					18.5						34.4					60.0	37.7	1.8	.5
		1.4	.8	.8	1.1	1.2	1.0	.3	2.0	3.3	4.1	5.1	3.8	.2	7.8	9.0	7.9	6.2	3.3	.2				
54		2.4			4.0					18.1						34.9					59.4	38.3	1.8	.5
		1.2	.7	.8	1.1	1.0	.9	.2	2.2	3.5	4.1	4.9	3.3	.1	8.6	9.9	8.0	5.6	2.7	.1				

Drevina:BUK

100% kvalita kmeňov:C

Podiel poškodených stromov:20%

Vek:140rokov

Hrúbka cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kôry																		Och pad																				
	I			II					III A					III B						SI-	V	VI																	
	6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1	III B	III B	III B	III B	III B	III B	III B	III B	III B	III B									
22											13.8												21.7									35.5	58.7	5.3	.5				
											.5	2.7	8.5	2.1									1.9	6.2	10.9	2.7													
24															.1																				39.6	54.9	5.0	.5	
26															.1	.2																			42.9	51.9	4.7	.5	
28															.2	.4																			45.6	49.4	4.4	.6	
30															.3	.6																			47.7	47.5	4.2	.6	
32															.3	.8																			49.2	46.1	4.1	.6	
34															.4	1.0																				50.3	45.2	3.9	.6
36															.5	1.1																				50.9	44.7	3.7	.7
38															.6	1.3																				51.2	44.5	3.6	.7
40															.7	1.4																				51.1	44.7	3.5	.7
42															.8	1.5																				50.8	45.1	3.4	.7
44															.8	1.6																				50.2	45.8	3.2	.8
46															.9	1.6																				49.5	46.5	3.2	.8
48															.9	1.6																				48.7	47.4	3.1	.8
50															.9	1.6																				47.8	48.3	3.1	.8
52															.9	1.6																				46.9	49.3	3.0	.8
54															.9	1.5																				46.0	50.2	3.0	.8



Drevina:BUK

100% kvalita kmeňov:A

Podiel poškodených stromov:40%

Vek:140rokov

Hrúbka cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kôry																		Od- pad						
	I			II				III A					III B					SI- IIIB		V	VI				
	6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1					
22		.8				12.8					25.8														
		.1	.7			1.6	5.8	5.4			.9	5.0	16.1	3.8							12.2	51.6	45.6	2.8	
24		1.1				15.5					26.0										1.1	3.5	6.1	1.5	
		.2	.9			.3	2.5	7.0	5.7	.1	.2	1.4	5.6	15.4	3.3						.3	1.6	4.2	6.7	1.4
26		1.5				17.4					26.0														
		.3	1.2		.1	.6	3.4	7.7	5.6	.2	.4	1.8	6.2	14.6	2.8						.8	2.1	5.0	6.9	1.4
28		1.9				18.8					25.7														
		.5	1.4		.2	.9	4.1	8.3	5.3	.3	.6	2.2	6.5	13.8	2.3	.3	1.2	2.6	5.6	6.9	1.3	17.9	64.3	33.6	2.1
30		2.3				19.7					25.2														
	.1	.7	1.5		.5	1.2	4.7	8.4	4.9	.4	.9	2.6	6.7	12.7	1.9	.7	1.6	3.1	6.1	7.0	1.1	19.6	66.8	31.3	1.9
32		2.7				20.1					24.7														
	.1	.9	1.7		.7	1.5	5.2	8.3	4.4	.5	1.1	2.9	6.8	11.8	1.6	1.1	2.0	3.6	6.4	6.9	1.0	21.0	68.5	29.8	1.7
34		3.2				20.1					23.9														
	.2	1.2	1.8		.9	1.8	5.5	8.0	3.9	.6	1.4	3.1	6.8	10.7	1.3	1.5	2.5	4.1	6.8	6.6	.9	22.4	69.6	28.8	1.6
36		3.6				19.8					23.2														
	.2	1.4	2.0		1.1	2.1	5.6	7.6	3.4	.7	1.6	3.3	6.7	9.8	1.1	2.0	3.0	4.5	6.9	6.3	.8	23.5	70.1	28.4	1.5
38		4.1				19.1					22.4														
	.3	1.7	2.1		1.3	2.4	5.6	6.9	2.9	.9	1.8	3.5	6.6	8.7	.9	2.6	3.5	4.9	6.9	6.0	.7	24.6	70.2	28.4	1.4
40		4.5				18.2					21.6														
	.4	2.0	2.1		1.5	2.6	5.4	6.3	2.4	1.0	2.0	3.6	6.4	7.9	.7	3.1	4.0	5.3	7.0	5.6	.6	25.6	69.9	28.8	1.3
42		4.9				17.1					20.9														
	.6	2.2	2.1		1.7	2.7	5.1	5.6	2.0	1.1	2.3	3.7	6.1	7.1	.6	3.7	4.6	5.6	6.9	5.1	.5	26.4	69.3	29.5	1.2
44		5.3				15.9					20.2														
	.7	2.5	2.1		1.8	2.8	4.7	5.0	1.6	1.3	2.4	3.8	5.9	6.3	.5	4.3	5.2	5.9	6.6	4.7	.4	27.1	68.5	30.3	1.1
46		5.5				14.7					19.6														
	.8	2.6	2.1		1.9	2.9	4.4	4.2	1.3	1.5	2.6	3.9	5.7	5.5	.4	4.9	5.8	6.2	6.4	4.2	.3	27.8	67.6	31.3	1.0
48		5.7				13.5					19.1														
	.9	2.8	2.0		2.0	2.9	3.9	3.6	1.1	1.6	2.8	4.0	5.5	4.9	.3	5.5	6.4	6.4	6.1	3.7	.3	28.4	66.7	32.2	1.0
50		5.8				12.4					18.7														
	1.1	2.8	1.9		2.1	3.0	3.4	3.1	.8	1.8	3.1	4.0	5.3	4.3	.2	6.1	7.0	6.6	5.7	3.3	.2	28.9	65.8	33.1	1.0
52		5.7				11.4					18.6														
	1.1	2.9	1.7		2.1	3.0	3.1	2.6	.6	2.0	3.3	4.1	5.1	3.9	.2	6.7	7.7	6.8	5.3	2.8	.1	29.4	65.1	33.9	.9
54		5.4				10.8					18.6														
	1.2	2.7	1.5		2.2	3.1	2.7	2.3	.5	2.2	3.6	4.2	5.1	3.4	.1	7.3	8.4	6.9	4.8	2.3	.1	29.8	64.6	34.4	.9

Drevina: BUK		100% kvalita kmeňov: B															Podiel poškodených stromov: 40%										Vek: 140 rokov		
Hrúbka cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kôry																				Och pad								
	I					II					III A					III B						SI- IIIB	V	VI					
	6	5	4	3	2	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1							
22		.3							5.6	2.5	2.4				22.6				16.3				44.8	50.9	4.2	.1			
			.3						.7						.7	4.4	14.1	3.4			1.4	4.6	8.3	2.0					
24		.7						.1	6.7	3.0	2.5				23.7				18.5				49.6	46.4	3.8	.2			
		.1	.6					.1	1.1					.1	1.3	5.1	14.2	3.0			.4	2.1	5.5	8.6	1.9				
26		.9						.3	7.6	3.4	2.4			.1	24.5				20.6				53.6	42.7	3.5	.2			
		.2	.7					.3	1.5					.1	1.7	5.8	13.9	2.6			1.1	2.7	6.3	8.8	1.7				
28		1.0						.1	8.3	3.7	2.3			.2	24.9				22.5				56.7	39.8	3.3	.2			
		.3	.7				.4	.4	1.8					.2	2.2	6.3	13.3	2.3			.4	1.5	3.3	7.0	8.7	1.6			
30		1.1						.2	8.9	3.9	2.2			.4	24.9				24.1				59.0	37.7	3.1	.2			
		.3	.8				.5	.5	2.1					.4	2.5	6.6	12.6	1.9			.8	2.0	3.9	7.5	8.5	1.4			
32		1.2						.3	9.1	3.7	2.0			.5	24.8				25.6				60.7	36.2	2.9	.2			
	.1	.4	.7				.7	.7	2.4					.5	2.9	6.8	11.9	1.6			1.3	2.5	4.4	7.9	8.3	1.2			
34		1.3					.8	.8	9.2	3.7	1.8			.6	24.3				27.0				61.8	35.2	2.7	.3			
	.1	.5	.7				.4	.8	2.5					.6	3.2	6.9	10.8	1.4			1.9	3.0	4.9	8.1	8.0	1.1			
36		1.5						.5	9.0	3.4	1.5			.8	23.7				28.2				62.4	34.7	2.6	.3			
	.1	.6	.8				1.0	1.0	2.6					.8	3.4	6.8	9.9	1.1			2.5	3.6	5.4	8.1	7.6	1.0			
38		1.7						.6	8.6	3.1	1.3			.9	22.9				29.3				62.5	34.7	2.5	.3			
	.1	.7	.9				1.1	1.1	2.5					.9	3.6	6.7	8.9	.9			3.1	4.1	5.9	8.3	7.1	.8			
40		1.8						.7	8.2	2.8	1.1			1.0	22.1				30.2				62.3	35.0	2.4	.3			
	.2	.8	.8				1.2	1.2	2.4					1.0	3.7	6.5	8.0	.8			3.7	4.8	6.3	8.1	6.6	.7			
42		2.0						.7	7.6	2.5	.9			1.2	21.1				31.1				61.8	35.6	2.2	.4			
	.2	.9	.9				1.2	1.2	2.3					1.2	3.8	6.2	7.0	.6			4.4	5.4	6.6	8.1	6.0	.6			
44		2.2						.8	6.8	2.1	.7			1.3	20.3				31.7				61.0	36.5	2.1	.4			
	.3	1.0	.9				1.2	1.2	2.0					1.3	3.8	6.0	6.2	.5			5.0	6.1	6.9	7.7	5.5	.5			
46		2.3						.8	6.1	1.8	.5			1.4	19.4				32.4				60.2	37.3	2.1	.4			
	.3	1.1	.9				1.2	1.2	1.8					1.4	3.8	5.7	5.5	.4			5.7	6.8	7.2	7.4	4.9	.4			
48		2.4						.8	5.3	1.4	.4			1.6	18.6				33.0				59.3	38.3	2.0	.4			
	.4	1.2	.8				1.2	1.2	1.5					1.6	3.9	5.2	4.8	.3			6.4	7.4	7.4	7.1	4.4	.3			
50		2.4						.8	4.6	1.2	.3			1.7	17.9				33.5				58.4	39.2	2.0	.4			
	.4	1.2	.8				1.1	1.1	1.2					1.7	3.8	5.1	4.2	.2			7.1	8.2	7.6	6.6	3.8	.2			
52		2.3						.7	4.0	1.2	.9			1.9	17.3				34.0				57.6	40.1	1.8	.5			
	.5	1.1	.7				1.0	1.0	1.2					1.9	3.8	4.7	3.6	.2			7.8	8.9	7.8	6.1	3.2	.2			
54		2.1						.7	3.5	.7	.2			2.0	17.0				34.4				57.0	40.7	1.8	.5			
	.5	1.0	.6				1.0	1.0	.9					2.0	3.9	4.6	3.1	.1			8.5	9.7	7.9	5.5	2.7	.1			

Drevina:BUK

100% kvalita kmeňov:C

Podiel poškodených stromov:40%

Vek:140rokov

Hrúbka cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kôry																		Odpad						
	I			II			III A					III B					SI- IIIB	V		VI					
	6	5	4	6	5	4	3	2	1	6	5	4	3	2	1	6	5	4	3	2	1				
22										13.2						20.3						33.5	60.7	5.3	.5
										.4	2.6	8.2	2.0			1.8	5.8	10.2	2.5						
24										14.5						23.0						37.5	157.0	5.0	.5
										.1	.8	3.1	8.7	1.8		.5	2.6	6.9	10.7	2.3					
26										15.4						25.4						40.8	154.0	4.7	.5
										.1	.2	1.1	3.6	8.8	1.6	1.3	3.3	7.8	10.9	2.1					
28										16.0						27.5						43.5	151.5	4.4	.6
										.2	.4	1.4	4.0	8.5	1.5	.4	1.8	4.0	8.6	10.8	1.9				
30										16.3						29.3						45.6	149.6	4.2	.6
										.2	.6	1.7	4.3	8.2	1.3	1.0	2.4	4.7	9.1	10.4	1.7				
32										16.4						30.8						47.2	148.1	4.1	.6
										.3	.8	1.9	4.5	7.8	1.1	1.6	3.0	5.3	9.5	9.9	1.5				
34										16.1						32.1						48.2	147.3	3.9	.6
										.4	.9	2.1	4.6	7.2	.9	2.2	3.6	5.8	9.7	9.5	1.3				
36										15.7						33.2						48.9	146.7	3.7	.7
										.5	1.1	2.3	4.5	6.5	.8	2.9	4.2	6.3	9.8	8.9	1.1				
38										15.1						34.0						49.1	146.6	3.6	.7
										.6	1.2	2.4	4.4	5.9	.6	3.6	4.8	6.8	9.6	8.2	1.0				
40										14.3						34.8						49.1	146.7	3.5	.7
										.7	1.3	2.4	4.2	5.2	.5	4.2	5.5	7.2	9.5	7.6	.8				
42										13.4						35.3						48.7	147.2	3.4	.7
										.7	1.4	2.4	3.9	4.6	.4	4.9	6.1	7.5	9.3	6.8	.7				
44										12.4						35.8						48.2	147.8	3.2	.8
										.8	1.5	2.3	3.6	3.9	.3	5.7	6.8	7.8	8.8	6.2	.5				
46										11.4						36.0						47.4	148.6	3.2	.8
										.8	1.5	2.3	3.4	3.2	.2	6.3	7.5	8.0	8.3	5.5	.4				
48										10.3						36.3						46.6	149.5	3.1	.8
										.9	1.5	2.1	3.0	2.6	.2	7.0	8.2	8.2	7.8	4.8	.3				
50										9.2						36.5						45.7	150.4	3.1	.8
										.9	1.5	2.0	2.6	2.1	.1	7.7	8.9	8.3	7.2	4.1	.3				
52										8.2						36.6						44.8	151.4	3.0	.8
										.9	1.5	1.8	2.2	1.7	.1	8.3	9.6	8.4	6.6	3.5	.2				
54										7.2						36.8						44.0	152.2	3.0	.8
										.9	1.4	1.6	2.0	1.3		9.1	10.3	8.5	5.9	2.9	.1				

Drevina:BUK

100% kvalita kmenov:D

Podiel poškodených stromov:40%

Vek:140rokov

Hrubka cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kôry															Odpad											
	I			II				III A					III B				SI- IIIB	V	VI								
	6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1							
22																					18.1						
																						1.6	5.1	9.1	2.3		
24																						20.7					
																						.4	2.4	6.2	9.6	2.1	
26																						23.0					
																						1.2	3.0	7.1	9.8	1.9	
28																						24.9					
																						.4	1.7	3.6	7.7	9.8	1.7
30																						26.5					
																						.9	2.1	4.2	8.2	9.6	1.5
32																						27.7					
																						1.4	2.7	4.8	8.5	9.0	1.3
34																						28.7					
																						2.0	3.2	5.2	8.7	8.5	1.1
36																						29.3					
																						2.5	3.7	5.6	8.6	7.9	1.0
38																						29.7					
																						3.1	4.2	5.9	8.5	7.2	.8
40																						29.9					
																						3.6	4.7	6.2	8.2	6.5	.7
42																						29.8					
																						4.2	5.2	6.3	7.7	5.8	.6
44																						29.5					
																						4.7	5.6	6.4	7.3	5.1	.4
46																						29.0					
																						5.1	6.1	6.4	6.7	4.4	.3
48																						28.3					
																						5.5	6.4	6.3	6.1	3.7	.3
50																						27.4					
																						5.8	6.7	6.2	5.4	3.1	.2
52																						26.5					
																						6.0	7.1	6.1	4.7	2.5	.1
54																						25.4					
																						6.2	7.2	5.8	4.1	2.0	.1

Flyšová oblasť východného Slovenska  
 Drešina: Buk

Podiel poškodených stromov: 0%

Vek: 60 rokov

Hrúbka cm	Podiel akostných a hrúbkových tried výrezov v % z objemu hrubiny bez kóry																		Od- pad								
	I			II			III A					III B					SI- IIIB	V		VI							
	6	5	4	6	5	4	3	2	6	5	4	3	2	1	6	5	4	3	2	1							
10												.3						3.2			1.1	2.1	3.5	83.2	13.3		
12												3.9						6.6			3.6	3.0	10.5	77.4	12.1		
14							.4					6.2						10.1			.1	6.7	3.3	16.7	72.2	11.1	
16							2.6					6.3						13.3			1.6	8.4	3.3	22.2	67.6	10.2	
18								.9	1.7			6.4						16.3			3.6	9.5	3.2	26.9	63.6	9.5	
20		.2					5.2					6.6						19.0			.7	5.0	10.4	2.9	31.0	60.2	8.8
22		.6			.2		.3	2.3	2.6			6.7						21.5						34.5	57.3	8.2	
24		.1	.5				5.7		2.4			.7	2.6	2.4				1.9	6.1	10.8	2.7			37.3	55.0	7.7	
26		.8					6.3					6.7						23.5						39.7	53.0	7.3	
28		.1	.7				.1	1.0	2.9	2.3			.4	1.5	4.0	.8				.5	2.7	7.0	10.9	2.4	41.6	51.5	6.9
30		1.1					6.6				.1	6.6						25.4						43.0	50.3	6.7	
32		.3	.8				.2	1.3	3.0	2.1			.5	1.6	3.7	.7				1.3	3.3	7.8	10.9	2.1	44.1	49.4	6.5
34		1.3					6.8				.1	6.6				.4	1.8	26.9			3.9	8.4	10.5	1.9	44.8	48.9	6.3
		.4	.9	.1	.3		1.5	3.0	1.9	1.9	.2	6.3						28.2						44.1	49.4	6.5	
		1.5					7.0				.1	6.3				1.0	2.3	28.2			4.5	8.7	10.1	1.6	44.1	49.4	6.5
		.5	1.0	.2	.4		1.7	3.0	1.7	1.7	.2	.6	1.7	3.2	.5	1.0	2.3	29.3			5.0	9.0	9.6	1.4	44.8	48.9	6.3
		1.7					7.0				.1	6.1				1.5	2.8	29.3			5.0	9.0	9.6	1.4	44.8	48.9	6.3
	.1	.6	1.0	.2	.5		1.8	3.0	1.5	1.5	.3	.7	1.7	2.9	.4	1.5	2.8	30.0			5.5	9.0	8.9	1.2	44.8	48.9	6.3
		2.0					7.0				.2	5.8				2.1	3.3	30.0			5.5	9.0	8.9	1.2	44.8	48.9	6.3
	.1	.7	1.2	.3	.6		1.9	2.8	1.4	1.4	.3	.8	1.6	2.6	.3	2.1	3.3	30.0			5.5	9.0	8.9	1.2	44.8	48.9	6.3