

Vek	Porast	Stredná hrúbka	Podiel akostných tried výrezov v %						
			I	II	III A	III B	V	VI	Odpad
35	Podružný	3.9					100.0		
	Hlavný	6.1			0.1		99.9		
	Cel.pro.				0.1		99.9		
40	Podružný	4.9					100.0		
	Hlavný	7.4			0.5		99.5		
	Cel.pro.				0.4		99.6		
45	Podružný	5.9					100.0		
	Hlavný	8.8			1.7		98.3		
	Cel.pro.				1.5		98.5		
50	Podružný	6.8			0.2		99.8		
	Hlavný	10.1			4.0		96.0		
	Cel.pro.				3.3		96.7		
55	Podružný	7.8			0.6		99.4		
	Hlavný	11.5			7.3		92.7		
	Cel.pro.				5.9		94.1		
60	Podružný	8.8			1.3		98.7		
	Hlavný	12.8			11.4	0.1	88.4	0.1	
	Cel.pro.				9.1	0.1	90.8		
65	Podružný	9.8			2.6		97.4		
	Hlavný	14.1			16.0	0.6	83.3	0.1	
	Cel.pro.				12.6	0.4	86.9	0.1	
70	Podružný	10.8			4.3	0.1	95.6		
	Hlavný	15.3			20.7	5.0	74.1	0.2	
	Cel.pro.				16.1	3.8	79.9	0.2	
75	Podružný	11.7			6.5	0.4	93.0	0.1	
	Hlavný	16.6		0.1	25.3	9.5	64.8	0.3	
	Cel.pro.				19.5	7.1	73.2	0.2	
80	Podružný	12.7			9.1	0.9	89.8	0.2	
	Hlavný	17.8		0.1	29.6	13.4	56.5	0.4	
	Cel.pro.			0.1	22.6	9.9	67.1	0.3	
85	Podružný	13.6			11.9	1.6	86.3	0.2	
	Hlavný	19.0		0.2	33.4	16.7	49.3	0.4	
	Cel.pro.			0.2	25.4	12.2	61.9	0.3	

Vek	Porast	Stredná hrúbka	Podiel akostných tried výrezov v %						
			I	II	IIIA	IIIB	V	VI	Odpad
90	Podružný	14.6			14.9	4.0	80.8	0.3	
	Hlavný	20.2		0.4	36.8	19.4	42.9	0.5	
	Cel.pro.			0.3	27.9	14.1	57.3	0.4	
95	Podružný	15.5			18.0	7.4	74.2	0.4	
	Hlavný	21.4	0.1	0.6	39.5	21.5	37.8	0.5	
	Cel.pro.			0.4	30.0	15.6	53.6	0.4	
100	Podružný	16.4			21.0	10.7	67.9	0.4	
	Hlavný	22.6	0.1	0.8	42.0	23.2	33.4	0.5	
	Cel.pro.		0.1	0.6	31.7	16.9	50.3	0.4	
105	Podružný	17.3		0.1	23.9	13.8	61.7	0.5	
	Hlavný	23.7	0.1	1.0	44.0	24.6	29.8	0.5	
	Cel.pro.		0.1	0.7	33.2	18.0	47.6	0.4	
110	Podružný	18.2		0.1	26.6	16.6	56.2	0.5	
	Hlavný	24.8	0.2	1.3	45.4	25.8	26.7	0.6	
	Cel.pro.		0.1	0.9	34.4	19.0	45.2	0.4	
115	Podružný	19.1		0.2	29.1	19.0	51.1	0.6	
	Hlavný	26.0	0.3	1.5	46.6	26.8	24.2	0.6	
	Cel.pro.		0.2	1.0	35.4	19.9	43.0	0.5	
120	Podružný	19.9		0.2	31.4	21.1	46.7	0.6	
	Hlavný	27.0	0.4	1.7	47.4	27.8	22.1	0.6	
	Cel.pro.		0.3	1.2	36.2	20.7	41.1	0.5	
125	Podružný	20.8		0.3	33.4	22.9	42.8	0.6	
	Hlavný	28.1	0.5	1.9	48.1	28.6	20.3	0.6	
	Cel.pro.		0.3	1.3	36.8	21.5	39.6	0.5	
130	Podružný	21.6		0.5	35.1	24.4	39.3	0.7	
	Hlavný	29.2	0.6	2.1	48.5	29.4	18.8	0.6	
	Cel.pro.		0.4	1.4	37.3	22.2	38.2	0.5	
135	Podružný	22.4	0.1	0.6	36.6	25.8	36.2	0.7	
	Hlavný	30.2	0.7	2.2	48.7	30.2	17.6	0.6	
	Cel.pro.		0.5	1.5	37.6	23.0	36.9	0.5	
140	Podružný	23.3	0.1	0.7	38.0	27.0	33.5	0.7	
	Hlavný	31.2	0.8	2.3	48.8	31.0	16.5	0.6	
	Cel.pro.		0.5	1.6	37.9	23.7	35.8	0.5	
145	Podružný	24.1	0.1	0.8	39.2	28.0	31.2	0.7	
	Hlavný	32.2	0.9	2.4	48.8	31.8	15.5	0.6	
	Cel.pro.		0.6	1.6	38.1	24.4	34.8	0.5	
150	Podružný	24.9	0.2	1.0	39.9	29.0	29.2	0.7	
	Hlavný	33.2	1.0	2.5	48.7	32.5	14.7	0.6	
	Cel.pro.		0.6	1.7	38.2	25.1	33.9	0.5	
155	Podružný	25.7	0.2	1.1	40.7	29.9	27.4	0.7	
	Hlavný	34.2	1.1	2.5	48.4	33.3	14.1	0.6	
	Cel.pro.		0.7	1.7	38.4	25.7	33.0	0.5	
160	Podružný	26.5	0.2	1.2	41.4	30.7	25.8	0.7	
	Hlavný	35.2	1.2	2.6	48.1	34.0	13.5	0.6	
	Cel.pro.		0.8	1.7	38.3	26.4	32.3	0.5	

Vek	Porast	Stredná hrúbka	Podiel akostných tried výrezov v %						
			I	II	IIIA	IIIB	V	VI	Odpad
30	Podružný	3.5					100.0		
	Hlavný	5.5					100.0		
	Cel.pro.						100.0		
35	Podružný	4.6					100.0		
	Hlavný	7.1			0.3		99.7		
	Cel.pro.				0.3		99.7		
40	Podružný	5.6					100.0		
	Hlavný	8.6			1.5		98.5		
	Cel.pro.				1.3		98.7		
45	Podružný	6.7			0.2		99.8		
	Hlavný	10.1			4.0		96.0		
	Cel.pro.				3.3		96.7		
50	Podružný	7.8			0.6		99.4		
	Hlavný	11.6			7.7		92.3		
	Cel.pro.				6.3		93.7		
55	Podružný	8.9			1.5		98.5		
	Hlavný	13.0			12.5	0.2	87.2	0.1	
	Cel.pro.				9.9	0.1	90.0		
60	Podružný	10.0			3.0		97.0		
	Hlavný	14.4			17.7	1.8	80.4	0.1	
	Cel.pro.				13.9	1.4	84.6	0.1	
65	Podružný	11.1			5.0	0.2	94.8		
	Hlavný	15.9			22.9	6.9	70.0	0.2	
	Cel.pro.				17.8	5.2	76.8	0.2	
70	Podružný	12.1			7.7	0.5	91.7	0.1	
	Hlavný	17.3		0.1	28.0	11.6	60.0	0.3	
	Cel.pro.			0.1	21.5	8.7	69.5	0.2	
75	Podružný	13.2			10.7	1.2	87.9	0.2	
	Hlavný	18.6		0.2	32.5	15.6	51.3	0.4	
	Cel.pro.			0.1	24.9	11.5	63.2	0.3	
80	Podružný	14.2			14.1	2.7	82.9	0.3	
	Hlavný	20.0		0.4	36.4	18.8	44.0	0.4	
	Cel.pro.			0.3	27.7	13.7	58.0	0.3	
85	Podružný	15.3			17.5	6.5	75.7	0.3	
	Hlavný	21.3	0.1	0.6	39.6	21.3	37.9	0.5	
	Cel.pro.			0.4	30.2	15.5	53.5	0.4	

Drevina: Jedľa

Bonita: 22

Vek	Porast	Stredná hrúbka	Podiel akostných tried výrezov v %						
			I	II	IIIA	IIIB	V	VI	Odpad
90	Podružný	16.3			20.9	10.2	68.5	0.4	
	Hlavný	22.6	0.1	0.8	42.3	23.3	33.0	0.5	
	Cel.pro.		0.1	0.6	32.2	17.0	49.7	0.4	
95	Podružný	17.3		0.1	24.2	13.7	61.5	0.5	
	Hlavný	23.9	0.2	1.1	44.5	24.8	28.9	0.5	
	Cel.pro.		0.1	0.8	33.8	18.2	46.7	0.4	
100	Podružný	18.3		0.1	27.2	16.8	55.4	0.5	
	Hlavný	25.1	0.2	1.4	46.2	26.1	25.6	0.5	
	Cel.pro.		0.2	1.0	35.1	19.3	44.0	0.4	
105	Podružný	19.2		0.2	30.0	19.4	49.8	0.6	
	Hlavný	26.4	0.3	1.7	47.2	27.2	23.0	0.6	
	Cel.pro.		0.2	1.1	36.2	20.3	41.8	0.4	
110	Podružný	20.2		0.3	32.5	21.6	45.0	0.6	
	Hlavný	27.6	0.4	1.9	48.1	28.2	20.8	0.6	
	Cel.pro.		0.3	1.3	37.0	21.2	39.7	0.5	
115	Podružný	21.1		0.4	34.6	23.5	40.9	0.6	
	Hlavný	28.8	0.6	2.1	48.6	29.2	18.9	0.6	
	Cel.pro.		0.4	1.4	37.6	22.1	38.0	0.5	
120	Podružný	22.1	0.1	0.5	36.5	25.2	37.1	0.6	
	Hlavný	30.0	0.7	2.3	48.9	30.1	17.4	0.6	
	Cel.pro.		0.5	1.5	38.0	22.9	36.6	0.5	
125	Podružný	23.0	0.1	0.7	38.0	26.5	34.0	0.7	
	Hlavný	31.1	0.8	2.4	49.0	31.0	16.2	0.6	
	Cel.pro.		0.5	1.6	38.4	23.7	35.3	0.5	
130	Podružný	23.9	0.1	0.8	39.3	27.8	31.3	0.7	
	Hlavný	32.3	0.9	2.5	49.1	31.8	15.1	0.6	
	Cel.pro.		0.6	1.7	38.5	24.5	34.2	0.5	
135	Podružný	24.8	0.2	1.0	40.4	28.8	28.9	0.7	
	Hlavný	33.4	1.0	2.6	48.9	32.7	14.2	0.6	
	Cel.pro.		0.7	1.7	38.6	25.3	33.2	0.5	
140	Podružný	25.7	0.2	1.1	41.3	29.8	26.9	0.7	
	Hlavný	34.5	1.2	2.6	48.6	33.5	13.5	0.6	
	Cel.pro.		0.7	1.8	38.8	26.0	32.2	0.5	
145	Podružný	26.6	0.3	1.3	41.9	30.7	25.1	0.7	
	Hlavný	35.6	1.3	2.6	48.2	34.4	12.9	0.6	
	Cel.pro.		0.8	1.8	38.7	26.8	31.4	0.5	
150	Podružný	27.5	0.3	1.4	42.5	31.5	23.6	0.7	
	Hlavný	36.6	1.4	2.6	47.8	35.3	12.3	0.6	
	Cel.pro.		0.9	1.8	38.6	27.5	30.7	0.5	
155	Podružný	28.3	0.4	1.5	42.8	32.3	22.3	0.7	
	Hlavný	37.7	1.4	2.6	47.4	36.1	11.9	0.6	
	Cel.pro.		0.9	1.8	38.6	28.2	30.0	0.5	
160	Podružný	29.1	0.4	1.6	43.1	33.1	21.1	0.7	
	Hlavný	38.7	1.5	2.6	46.8	37.0	11.5	0.6	
	Cel.pro.		1.0	1.8	38.4	28.9	29.4	0.5	

Vek	Porast	Stredná hrúbka	Podiel akostných tried výrezov v %						
			I	II	IIIA	IIIB	V	VI	Odpad
30	Podružný	4.1					100.0		
	Hlavný	6.5			0.2		99.8		
	Cel.pro.				0.1		99.9		
35	Podružný	5.2					100.0		
	Hlavný	8.1			1.1		98.9		
	Cel.pro.				0.9		99.1		
40	Podružný	6.4			0.1		99.9		
	Hlavný	9.8			3.6		96.4		
	Cel.pro.				3.0		97.0		
45	Podružný	7.6			0.5		99.5		
	Hlavný	11.4			7.7		92.3		
	Cel.pro.				6.3		93.7		
50	Podružný	8.8			1.4		98.6		
	Hlavný	13.0			13.0	0.2	86.8		
	Cel.pro.				10.5	0.1	89.4		
55	Podružný	10.0			3.1		96.9		
	Hlavný	14.6			18.9	2.2	78.8	0.1	
	Cel.pro.				14.9	1.7	83.3	0.1	
60	Podružný	11.2			5.5	0.2	94.3		
	Hlavný	16.2		0.1	24.8	7.8	67.1	0.2	
	Cel.pro.			0.1	19.3	5.9	74.5	0.2	
65	Podružný	12.4			8.6	0.6	90.7	0.1	
	Hlavný	17.7		0.2	30.3	12.9	56.3	0.3	
	Cel.pro.			0.1	23.4	9.6	66.7	0.2	
70	Podružný	13.5			12.1	1.4	86.3	0.2	
	Hlavný	19.3		0.4	35.0	16.9	47.3	0.4	
	Cel.pro.			0.3	26.9	12.5	60.0	0.3	
75	Podružný	14.7			15.9	4.3	79.5	0.3	
	Hlavný	20.8	0.1	0.7	39.0	20.0	39.8	0.4	
	Cel.pro.			0.5	29.9	14.7	54.6	0.3	
80	Podružný	15.8			19.7	8.5	71.5	0.3	
	Hlavný	22.2	0.1	1.0	42.3	22.3	33.9	0.4	
	Cel.pro.		0.1	0.7	32.3	16.4	50.2	0.3	
85	Podružný	16.9		0.1	23.5	12.5	63.5	0.4	
	Hlavný	23.7	0.2	1.4	44.7	24.1	29.1	0.5	
	Cel.pro.		0.1	1.0	34.2	17.8	46.5	0.4	

Drevina: Jedľa

Bonita: 24

Vek	Porast	Stredná hrúbka	Podiel akostných tried výrezov v %						
			I	II	IIIA	IIIB	V	VI	Odpad
90	Podružný	18.0		0.1	27.0	16.1	56.3	0.5	
	Hlavný	25.1	0.3	1.8	46.5	25.6	25.3	0.5	
	Cel.pro.		0.2	1.2	35.7	19.0	43.5	0.4	
95	Podružný	19.1		0.2	30.1	19.1	50.1	0.5	
	Hlavný	26.4	0.5	2.2	47.7	26.8	22.3	0.5	
	Cel.pro.		0.3	1.5	36.8	20.1	40.9	0.4	
100	Podružný	20.2		0.3	32.9	21.6	44.6	0.6	
	Hlavný	27.8	0.6	2.5	48.6	27.9	19.9	0.5	
	Cel.pro.		0.4	1.7	37.6	21.1	38.8	0.4	
105	Podružný	21.3		0.4	35.3	23.7	40.0	0.6	
	Hlavný	29.1	0.8	2.8	49.1	28.9	17.9	0.5	
	Cel.pro.		0.5	1.9	38.3	22.0	36.9	0.4	
110	Podružný	22.3	0.1	0.6	37.3	25.4	36.0	0.6	
	Hlavný	30.5	1.0	3.0	49.4	29.8	16.3	0.5	
	Cel.pro.		0.7	2.0	38.6	22.9	35.3	0.5	
115	Podružný	23.3	0.1	0.8	39.0	26.9	32.6	0.6	
	Hlavný	31.8	1.2	3.2	49.3	30.8	15.0	0.5	
	Cel.pro.		0.8	2.1	38.9	23.8	33.9	0.5	
120	Podružný	24.3	0.1	1.0	40.3	28.2	29.7	0.7	
	Hlavný	33.0	1.4	3.3	49.1	31.7	14.0	0.5	
	Cel.pro.		0.9	2.2	39.0	24.7	32.7	0.5	
125	Podružný	25.3	0.2	1.1	41.4	29.3	27.3	0.7	
	Hlavný	34.3	1.5	3.4	48.8	32.7	13.1	0.5	
	Cel.pro.		1.0	2.3	39.0	25.5	31.7	0.5	
130	Podružný	26.3	0.3	1.3	42.2	30.3	25.2	0.7	
	Hlavný	35.5	1.7	3.4	48.5	33.6	12.3	0.5	
	Cel.pro.		1.1	2.3	39.1	26.3	30.7	0.5	
135	Podružný	27.3	0.3	1.4	42.9	31.3	23.4	0.7	
	Hlavný	36.7	1.9	3.4	47.9	34.6	11.7	0.5	
	Cel.pro.		1.2	2.3	38.9	27.2	29.9	0.5	
140	Podružný	28.3	0.4	1.6	43.2	32.2	21.9	0.7	
	Hlavný	37.9	2.0	3.4	47.4	35.5	11.2	0.5	
	Cel.pro.		1.3	2.3	38.8	28.0	29.1	0.5	
145	Podružný	29.2	0.5	1.7	43.5	33.0	20.6	0.7	
	Hlavný	39.1	2.2	3.4	46.7	36.4	10.8	0.5	
	Cel.pro.		1.4	2.3	38.7	28.7	28.4	0.5	
150	Podružný	30.1	0.5	1.8	43.7	33.8	19.5	0.7	
	Hlavný	40.2	2.3	3.4	46.0	37.4	10.4	0.5	
	Cel.pro.		1.5	2.3	38.4	29.5	27.8	0.5	
155	Podružný	31.1	0.6	1.9	43.7	34.6	18.5	0.7	
	Hlavný	41.3	2.4	3.3	45.4	38.3	10.1	0.5	
	Cel.pro.		1.5	2.3	38.2	30.2	27.3	0.5	
160	Podružný	32.0	0.7	2.0	43.5	35.4	17.7	0.7	
	Hlavný	42.5	2.5	3.2	44.8	39.2	9.8	0.5	
	Cel.pro.		1.6	2.2	38.0	31.0	26.7	0.5	

Vek	Porast	Stredná hrúbka	Podiel akostných tried výrezov v %						
			I	II	IIIA	IIIB	V	VI	Odpad
25	Podružný	3.4					100.0		
	Hlavný	5.6					100.0		
	Cel.pro.						100.0		
30	Podružný	4.6					100.0		
	Hlavný	7.4			0.6		99.4		
	Cel.pro.				0.5		99.5		
35	Podružný	5.9					100.0		
	Hlavný	9.2			2.7		97.3		
	Cel.pro.				2.2		97.8		
40	Podružný	7.3			0.3		99.7		
	Hlavný	11.0			6.9		93.1		
	Cel.pro.				5.7		94.3		
45	Podružný	8.6			1.2		98.8		
	Hlavný	12.8			12.7	0.1	87.2		
	Cel.pro.				10.2	0.1	89.7		
50	Podružný	9.9			2.9		97.1		
	Hlavný	14.6			19.3	1.9	78.7	0.1	
	Cel.pro.				15.3	1.5	83.1	0.1	
55	Podružný	11.2			5.6	0.2	94.2		
	Hlavný	16.3		0.1	25.8	8.0	65.9	0.2	
	Cel.pro.			0.1	20.2	6.1	73.5	0.1	
60	Podružný	12.5			9.0	0.7	90.2	0.1	
	Hlavný	18.0		0.3	31.8	13.4	54.2	0.3	
	Cel.pro.			0.2	24.6	10.0	65.0	0.2	
65	Podružný	13.8			13.0	1.5	85.3	0.2	
	Hlavný	19.7		0.6	36.9	17.6	44.6	0.3	
	Cel.pro.			0.4	28.4	13.0	57.9	0.3	
70	Podružný	15.0			17.3	5.4	77.0	0.3	
	Hlavný	21.4	0.1	1.0	41.0	20.7	36.8	0.4	
	Cel.pro.		0.1	0.7	31.4	15.2	52.3	0.3	
75	Podružný	16.3			21.5	10.0	68.2	0.3	
	Hlavný	23.0	0.2	1.5	44.1	23.0	30.8	0.4	
	Cel.pro.		0.1	1.1	33.8	16.9	47.8	0.3	
80	Podružný	17.5		0.1	25.6	14.3	59.6	0.4	
	Hlavný	24.5	0.3	2.0	46.5	24.7	26.1	0.4	
	Cel.pro.		0.2	1.4	35.7	18.3	44.0	0.4	
85	Podružný	18.7		0.2	29.3	17.9	52.1	0.5	
	Hlavný	26.1	0.5	2.5	48.0	26.0	22.5	0.5	
	Cel.pro.		0.4	1.7	37.0	19.5	41.0	0.4	

Drevina: Jedľa

Bonita: 26

Vek	Porast	Stredná hrúbka	Podiel akostných tried výrezov v %						Odpad
			I	II	IIIA	IIIB	V	VI	
90	Podružný	19.9		0.3	32.5	20.9	45.8	0.5	
	Hlavný	27.6	0.7	2.9	49.0	27.2	19.7	0.5	
	Cel.pro.		0.5	2.0	38.0	20.6	38.5	0.4	
95	Podružný	21.1		0.4	35.3	23.3	40.4	0.6	
	Hlavný	29.1	1.0	3.3	49.5	28.3	17.4	0.5	
	Cel.pro.		0.7	2.3	38.5	21.7	36.4	0.4	
100	Podružný	22.2	0.1	0.6	37.7	25.2	35.8	0.6	
	Hlavný	30.6	1.2	3.6	49.6	29.4	15.7	0.5	
	Cel.pro.		0.8	2.5	39.0	22.7	34.6	0.4	
105	Podružný	23.4	0.1	0.8	39.5	26.9	32.1	0.6	
	Hlavný	32.0	1.5	3.8	49.6	30.4	14.2	0.5	
	Cel.pro.		1.0	2.6	39.3	23.6	33.1	0.4	
110	Podružný	24.5	0.2	1.0	41.0	28.3	28.9	0.6	
	Hlavný	33.4	1.8	4.0	49.2	31.4	13.1	0.5	
	Cel.pro.		1.2	2.7	39.4	24.6	31.7	0.4	
115	Podružný	25.6	0.2	1.2	42.1	29.5	26.3	0.7	
	Hlavný	34.8	2.0	4.1	48.8	32.4	12.2	0.5	
	Cel.pro.		1.3	2.8	39.4	25.5	30.6	0.4	
120	Podružný	26.7	0.3	1.4	42.9	30.6	24.1	0.7	
	Hlavný	36.2	2.3	4.2	48.1	33.5	11.4	0.5	
	Cel.pro.		1.5	2.8	39.3	26.4	29.6	0.4	
125	Podružný	27.8	0.4	1.6	43.5	31.6	22.2	0.7	
	Hlavný	37.5	2.5	4.2	47.5	34.5	10.8	0.5	
	Cel.pro.		1.6	2.8	39.1	27.3	28.7	0.5	
130	Podružný	28.8	0.5	1.7	43.8	32.6	20.7	0.7	
	Hlavný	38.9	2.7	4.2	46.8	35.5	10.3	0.5	
	Cel.pro.		1.7	2.8	38.9	28.2	27.9	0.5	
135	Podružný	29.9	0.5	1.8	44.1	33.5	19.4	0.7	
	Hlavný	40.2	2.9	4.1	46.0	36.6	9.9	0.5	
	Cel.pro.		1.9	2.8	38.5	29.1	27.2	0.5	
140	Podružný	30.9	0.6	1.9	44.2	34.4	18.2	0.7	
	Hlavný	41.4	3.1	4.0	45.3	37.6	9.5	0.5	
	Cel.pro.		2.0	2.7	38.3	29.9	26.6	0.5	
145	Podružný	31.9	0.7	2.0	44.1	35.2	17.3	0.7	
	Hlavný	42.7	3.3	4.0	44.3	38.6	9.3	0.5	
	Cel.pro.		2.1	2.7	38.0	30.7	26.0	0.5	
150	Podružný	32.9	0.8	2.1	43.8	36.1	16.5	0.7	
	Hlavný	43.9	3.5	3.9	43.5	39.6	9.0	0.5	
	Cel.pro.		2.2	2.6	37.7	31.5	25.5	0.5	
155	Podružný	33.9	0.9	2.1	43.6	36.9	15.8	0.7	
	Hlavný	45.1	3.6	3.8	42.7	40.6	8.8	0.5	
	Cel.pro.		2.3	2.6	37.3	32.3	25.0	0.5	
160	Podružný	34.9	1.0	2.1	43.3	37.7	15.2	0.7	
	Hlavný	46.3	3.7	3.7	42.0	41.5	8.6	0.5	
	Cel.pro.		2.4	2.5	36.9	33.1	24.6	0.5	

Vek	Porast	Stredná hrúbka	Podiel akostných tried výrezov v %					
			I	II	III A	III B	V	VI Odpad
25	Podružný	3.9					100.0	
	Hlavný	6.4			0.2		99.8	
	Cel.pro.				0.1		99.9	
30	Podružný	5.3					100.0	
	Hlavný	8.4			1.5		98.5	
	Cel.pro.				1.3		98.7	
35	Podružný	6.7			0.2		99.8	
	Hlavný	10.4			5.2		94.8	
	Cel.pro.				4.3		95.7	
40	Podružný	8.1			0.9		99.1	
	Hlavný	12.4			11.3	0.1	88.6	
	Cel.pro.				9.1	0.1	90.8	
45	Podružný	9.6			2.5		97.5	
	Hlavný	14.3			18.6	0.9	80.4	0.1
	Cel.pro.				14.7	0.7	84.6	
50	Podružný	11.0			5.3	0.1	94.6	
	Hlavný	16.2		0.1	25.9	7.4	66.4	0.2
	Cel.pro.			0.1	20.2	5.6	74.0	0.1
55	Podružný	12.4			9.0	0.6	90.4	
	Hlavný	18.1		0.3	32.6	13.4	53.5	0.2
	Cel.pro.			0.3	25.1	10.0	64.4	0.2
60	Podružný	13.8			13.4	1.5	84.9	0.2
	Hlavný	19.9	0.1	0.7	38.1	17.9	42.9	0.3
	Cel.pro.			0.5	29.3	13.2	56.8	0.2
65	Podružný	15.2			18.2	6.0	75.5	0.3
	Hlavný	21.8	0.1	1.3	42.3	21.1	34.8	0.4
	Cel.pro.		0.1	0.9	32.5	15.5	50.7	0.3
70	Podružný	16.6			22.9	11.0	65.8	0.3
	Hlavný	23.5	0.3	1.9	45.5	23.3	28.6	0.4
	Cel.pro.		0.2	1.4	35.0	17.3	45.8	0.3
75	Podružný	17.9		0.1	27.3	15.5	56.7	0.4
	Hlavný	25.3	0.5	2.5	47.7	25.0	23.9	0.4
	Cel.pro.		0.3	1.8	36.7	18.7	42.2	0.3
80	Podružný	19.2		0.2	31.2	19.2	48.9	0.5
	Hlavný	27.0	0.7	3.1	49.0	26.4	20.4	0.4
	Cel.pro.		0.5	2.2	37.9	19.9	39.1	0.4
85	Podružný	20.5		0.4	34.5	22.2	42.4	0.5
	Hlavný	28.7	1.0	3.6	49.8	27.6	17.6	0.4
	Cel.pro.		0.7	2.5	38.7	21.1	36.6	0.4

Vek	Porast	Stredná hrúbka	Podiel akostných tried výrezov v %						Odpad
			I	II	IIIA	IIIB	V	VI	
90	Podružný Hlavný Cel.pro.	21.8	0.1	0.6	37.2	24.5	37.0	0.6	
		30.3	1.3	4.0	50.0	28.7	15.5	0.5	
			0.9	2.7	39.3	22.2	34.5	0.4	
95	Podružný Hlavný Cel.pro.	23.1	0.1	0.8	39.5	26.4	32.6	0.6	
		31.9	1.7	4.3	49.7	29.9	13.9	0.5	
			1.1	2.9	39.6	23.3	32.7	0.4	
100	Podružný Hlavný Cel.pro.	24.3	0.2	1.0	41.3	28.0	28.9	0.6	
		33.5	2.0	4.5	49.4	31.0	12.6	0.5	
			1.3	3.0	39.7	24.3	31.3	0.4	
105	Podružný Hlavný Cel.pro.	25.6	0.2	1.3	42.5	29.4	26.0	0.6	
		35.0	2.4	4.6	48.8	32.1	11.6	0.5	
			1.5	3.1	39.6	25.4	30.0	0.4	
110	Podružný Hlavný Cel.pro.	26.8	0.3	1.5	43.5	30.6	23.5	0.6	
		36.6	2.7	4.7	48.0	33.3	10.8	0.5	
			1.7	3.2	39.4	26.4	28.9	0.4	
115	Podružný Hlavný Cel.pro.	28.0	0.4	1.7	44.1	31.7	21.5	0.6	
		38.1	3.0	4.7	47.3	34.4	10.1	0.5	
			1.9	3.2	39.2	27.4	27.9	0.4	
120	Podružný Hlavný Cel.pro.	29.1	0.5	1.8	44.4	32.7	19.9	0.7	
		39.5	3.3	4.7	46.3	35.6	9.6	0.5	
			2.1	3.2	38.9	28.3	27.1	0.4	
125	Podružný Hlavný Cel.pro.	30.3	0.6	1.9	44.6	33.7	18.5	0.7	
		41.0	3.5	4.6	45.5	36.7	9.2	0.5	
			2.3	3.1	38.6	29.3	26.3	0.4	
130	Podružný Hlavný Cel.pro.	31.4	0.7	2.1	44.5	34.7	17.3	0.7	
		42.4	3.8	4.5	44.5	37.8	8.9	0.5	
			2.4	3.1	38.3	30.2	25.6	0.4	
135	Podružný Hlavný Cel.pro.	32.6	0.8	2.1	44.5	35.6	16.3	0.7	
		43.8	4.0	4.4	43.6	38.9	8.6	0.5	
			2.6	3.0	37.9	31.1	25.0	0.4	
140	Podružný Hlavný Cel.pro.	33.7	0.9	2.2	44.1	36.6	15.5	0.7	
		45.1	4.3	4.3	42.6	40.0	8.3	0.5	
			2.7	2.9	37.5	32.0	24.5	0.4	
145	Podružný Hlavný Cel.pro.	34.8	1.0	2.2	43.8	37.5	14.8	0.7	
		46.5	4.5	4.2	41.5	41.1	8.2	0.5	
			2.8	2.9	37.1	32.8	24.0	0.4	
150	Podružný Hlavný Cel.pro.	35.8	1.1	2.2	43.4	38.4	14.2	0.7	
		47.8	4.6	4.0	40.7	42.2	8.0	0.5	
			2.9	2.8	36.6	33.7	23.6	0.4	
155	Podružný Hlavný Cel.pro.	36.9	1.2	2.2	43.0	39.2	13.7	0.7	
		49.1	4.8	3.9	39.8	43.1	7.9	0.5	
			3.0	2.7	36.1	34.5	23.2	0.5	
160	Podružný Hlavný Cel.pro.	37.9	1.2	2.2	42.5	40.1	13.3	0.7	
		50.4	5.0	3.7	38.9	44.1	7.8	0.5	
			3.1	2.6	35.8	35.2	22.8	0.5	

Vek	Porast	Stredná hrúbka	Podiel akostných tried výrezov v %						
			I	II	IIIA	IIIB	V	VI	Odpad
25	Podružný	4.4					100.0		
	Hlavný	7.3			0.5		99.5		
	Cel.pro.				0.4		99.6		
30	Podružný	5.9					100.0		
	Hlavný	9.4			3.1		96.9		
	Cel.pro.				2.6		97.4		
35	Podružný	7.5			0.5		99.5		
	Hlavný	11.6			8.8		91.2		
	Cel.pro.				7.2		92.8		
40	Podružný	9.0			1.8		98.2		
	Hlavný	13.7			16.7	0.2	83.1		
	Cel.pro.				13.3	0.2	86.5		
45	Podružný	10.6			4.5		95.5		
	Hlavný	15.8		0.1	24.9	5.9	69.0	0.1	
	Cel.pro.			0.1	19.5	4.5	75.8	0.1	
50	Podružný	12.1			8.4	0.5	91.1		
	Hlavný	17.9		0.4	32.4	12.7	54.3	0.2	
	Cel.pro.			0.3	25.2	9.6	64.7	0.2	
55	Podružný	13.7			13.3	1.4	85.2	0.1	
	Hlavný	19.9	0.1	0.8	38.5	17.7	42.6	0.3	
	Cel.pro.			0.6	29.7	13.1	56.4	0.2	
60	Podružný	15.2			18.5	5.8	75.5	0.2	
	Hlavný	21.9	0.2	1.5	43.2	21.1	33.7	0.3	
	Cel.pro.		0.1	1.1	33.3	15.6	49.6	0.3	
65	Podružný	16.7		0.1	23.7	11.4	64.5	0.3	
	Hlavný	23.9	0.3	2.2	46.5	23.5	27.1	0.4	
	Cel.pro.		0.2	1.6	35.8	17.5	44.6	0.3	
70	Podružný	18.2		0.1	28.5	16.2	54.8	0.4	
	Hlavný	25.8	0.6	3.0	48.5	25.2	22.3	0.4	
	Cel.pro.		0.4	2.1	37.6	19.0	40.6	0.3	
75	Podružný	19.6		0.3	32.6	20.0	46.6	0.5	
	Hlavný	27.7	0.9	3.6	49.8	26.6	18.7	0.4	
	Cel.pro.		0.6	2.5	38.8	20.3	37.5	0.3	
80	Podružný	21.0		0.5	36.1	23.0	39.9	0.5	
	Hlavný	29.5	1.3	4.1	50.2	27.9	16.1	0.4	
	Cel.pro.		0.9	2.8	39.5	21.5	34.9	0.4	
85	Podružný	22.4	0.1	0.7	39.0	25.4	34.3	0.5	
	Hlavný	31.3	1.7	4.5	50.1	29.2	14.1	0.4	
	Cel.pro.		1.1	3.1	39.9	22.7	32.8	0.4	

Drevina: Jedľa

Bonita: 30

Vek	Porast	Stredná hrúbka	Podiel akostných tried výrezov v %						
			I	II	IIIA	IIIB	V	VI	Odpad
90	Podružný	23.8	0.1	1.0	41.0	27.3	30.0	0.6	
	Hlavný	33.1	2.1	4.8	49.8	30.4	12.5	0.4	
	Cel.pro.		1.4	3.3	39.9	23.9	31.1	0.4	
95	Podružný	25.2	0.2	1.3	42.7	28.8	26.4	0.6	
	Hlavný	34.8	2.5	5.0	49.2	31.6	11.3	0.4	
	Cel.pro.		1.7	3.4	39.9	25.0	29.6	0.4	
100	Podružný	26.5	0.3	1.5	43.8	30.2	23.6	0.6	
	Hlavný	36.5	2.9	5.1	48.3	32.9	10.4	0.4	
	Cel.pro.		1.9	3.4	39.9	26.1	28.3	0.4	
105	Podružný	27.9	0.4	1.7	44.6	31.4	21.3	0.6	
	Hlavný	38.2	3.3	5.1	47.4	34.1	9.7	0.4	
	Cel.pro.		2.2	3.5	39.4	27.2	27.3	0.4	
110	Podružný	29.2	0.5	1.9	45.0	32.6	19.4	0.6	
	Hlavný	39.8	3.7	5.1	46.3	35.4	9.1	0.4	
	Cel.pro.		2.4	3.4	39.2	28.3	26.3	0.4	
115	Podružný	30.4	0.7	2.1	45.0	33.7	17.9	0.6	
	Hlavný	41.4	4.0	5.0	45.2	36.7	8.7	0.4	
	Cel.pro.		2.6	3.4	38.7	29.4	25.5	0.4	
120	Podružný	31.7	0.8	2.2	45.0	34.7	16.7	0.6	
	Hlavný	43.0	4.3	4.9	44.2	37.9	8.3	0.4	
	Cel.pro.		2.8	3.3	38.3	30.4	24.8	0.4	
125	Podružný	32.9	0.9	2.3	44.9	35.7	15.6	0.6	
	Hlavný	44.5	4.6	4.7	43.2	39.1	8.0	0.4	
	Cel.pro.		3.0	3.2	37.8	31.4	24.2	0.4	
130	Podružný	34.2	1.0	2.3	44.5	36.8	14.8	0.6	
	Hlavný	46.0	4.9	4.6	41.9	40.4	7.8	0.4	
	Cel.pro.		3.1	3.2	37.3	32.4	23.6	0.4	
135	Podružný	35.4	1.1	2.4	44.0	37.8	14.1	0.6	
	Hlavný	47.5	5.2	4.4	40.9	41.5	7.6	0.4	
	Cel.pro.		3.3	3.1	36.8	33.3	23.1	0.4	
140	Podružný	36.5	1.2	2.4	43.6	38.7	13.5	0.6	
	Hlavný	49.0	5.4	4.2	39.8	42.7	7.5	0.4	
	Cel.pro.		3.4	3.0	36.4	34.2	22.6	0.4	
145	Podružný	37.7	1.3	2.4	43.0	39.7	13.0	0.6	
	Hlavný	50.4	5.6	4.1	38.7	43.9	7.3	0.4	
	Cel.pro.		3.5	2.9	35.9	35.1	22.2	0.4	
150	Podružný	38.9	1.4	2.3	42.4	40.7	12.6	0.6	
	Hlavný	51.8	5.8	3.9	37.7	44.9	7.3	0.4	
	Cel.pro.		3.6	2.8	35.4	36.0	21.8	0.4	
155	Podružný	40.0	1.4	2.3	41.9	41.6	12.2	0.6	
	Hlavný	53.2	6.0	3.7	36.7	46.0	7.2	0.4	
	Cel.pro.		3.7	2.7	34.9	36.8	21.5	0.4	
160	Podružný	41.1	1.5	2.2	41.2	42.6	11.9	0.6	
	Hlavný	54.6	6.2	3.6	35.8	46.9	7.1	0.4	
	Cel.pro.		3.8	2.6	34.5	37.5	21.2	0.4	

Vek	Porast	Stredná hrúbka	Podiel akostných tried výrezov v %						
			I	II	IIIA	IIIB	V	VI	Odpad
20	Podružný	3.3					100.0		
	Hlavný	5.8			0.1		99.9		
	Cel.pro.				0.1		99.9		
25	Podružný	4.9					100.0		
	Hlavný	8.1			1.3		98.7		
	Cel.pro.				1.1		98.9		
30	Podružný	6.6			0.1		99.9		
	Hlavný	10.5			5.6		94.4		
	Cel.pro.				4.7		95.3		
35	Podružný	8.3			1.0		99.0		
	Hlavný	12.9			13.3	0.1	86.6		
	Cel.pro.				10.8	0.1	89.1		
40	Podružný	10.0			3.4		96.6		
	Hlavný	15.2		0.1	22.6	3.3	73.9	0.1	
	Cel.pro.				17.9	2.6	79.5		
45	Podružný	11.7			7.3	0.3	92.4		
	Hlavný	17.4		0.3	31.2	11.2	57.1	0.2	
	Cel.pro.			0.2	24.3	8.5	66.9	0.1	
50	Podružný	13.3			12.4	1.1	86.4	0.1	
	Hlavný	19.7	0.1	0.8	38.2	17.0	43.7	0.2	
	Cel.pro.			0.6	29.6	12.7	56.9	0.2	
55	Podružný	15.0			18.1	5.0	76.7	0.2	
	Hlavný	21.9	0.2	1.6	43.4	20.9	33.6	0.3	
	Cel.pro.		0.1	1.1	33.6	15.5	49.5	0.2	
60	Podružný	16.6		0.1	23.8	11.0	64.8	0.3	
	Hlavný	24.0	0.4	2.4	46.9	23.5	26.5	0.3	
	Cel.pro.		0.3	1.7	36.4	17.5	43.8	0.3	
65	Podružný	18.2		0.2	29.1	16.3	54.0	0.4	
	Hlavný	26.1	0.7	3.3	49.0	25.3	21.3	0.4	
	Cel.pro.		0.5	2.3	38.3	19.1	39.5	0.3	
70	Podružný	19.8		0.3	33.6	20.4	45.3	0.4	
	Hlavný	28.2	1.1	4.0	50.1	26.8	17.6	0.4	
	Cel.pro.		0.8	2.8	39.3	20.6	36.2	0.3	
75	Podružný	21.4	0.1	0.6	37.3	23.5	38.0	0.5	
	Hlavný	30.2	1.5	4.6	50.4	28.2	14.9	0.4	
	Cel.pro.		1.1	3.2	40.0	21.9	33.5	0.3	
80	Podružný	22.9	0.1	0.9	40.2	25.9	32.4	0.5	
	Hlavný	32.1	2.0	5.0	50.2	29.5	12.9	0.4	
	Cel.pro.		1.4	3.4	40.3	23.2	31.4	0.3	
85	Podružný	24.4	0.2	1.2	42.2	27.9	27.9	0.6	
	Hlavný	34.1	2.5	5.2	49.7	30.8	11.4	0.4	
	Cel.pro.		1.7	3.6	40.3	24.4	29.6	0.4	

Vek	Porast	Stredná hrúbka	Podiel akostných tried výrezov v %						
			I	II	IIIA	IIIB	V	VI	Odpad
90	Podružný	25.9	0.3	1.5	43.8	29.4	24.4	0.6	
	Hlavný	36.0	3.0	5.4	48.7	32.2	10.3	0.4	
	Cel.pro.		2.0	3.7	40.1	25.7	28.1	0.4	
95	Podružný	27.4	0.4	1.7	44.8	30.8	21.7	0.6	
	Hlavný	37.8	3.5	5.4	47.7	33.6	9.4	0.4	
	Cel.pro.		2.3	3.7	39.8	26.9	26.9	0.4	
100	Podružný	28.8	0.5	2.0	45.3	32.1	19.5	0.6	
	Hlavný	39.6	3.9	5.4	46.5	35.0	8.8	0.4	
	Cel.pro.		2.6	3.7	39.4	28.1	25.8	0.4	
105	Podružný	30.2	0.7	2.2	45.5	33.3	17.7	0.6	
	Hlavný	41.4	4.3	5.3	45.3	36.4	8.3	0.4	
	Cel.pro.		2.8	3.6	39.0	29.3	24.9	0.4	
110	Podružný	31.6	0.8	2.3	45.5	34.5	16.3	0.6	
	Hlavný	43.2	4.7	5.2	44.0	37.8	7.9	0.4	
	Cel.pro.		3.0	3.5	38.6	30.4	24.1	0.4	
115	Podružný	33.0	1.0	2.4	45.2	35.6	15.2	0.6	
	Hlavný	44.9	5.1	5.0	42.7	39.2	7.6	0.4	
	Cel.pro.		3.3	3.5	37.9	31.5	23.4	0.4	
120	Podružný	34.3	1.1	2.5	44.8	36.7	14.3	0.6	
	Hlavný	46.5	5.4	4.8	41.6	40.5	7.3	0.4	
	Cel.pro.		3.5	3.3	37.4	32.6	22.8	0.4	
125	Podružný	35.7	1.2	2.5	44.4	37.8	13.5	0.6	
	Hlavný	48.2	5.7	4.6	40.3	41.9	7.1	0.4	
	Cel.pro.		3.6	3.2	36.9	33.6	22.3	0.4	
130	Podružný	37.0	1.3	2.5	43.8	38.9	12.9	0.6	
	Hlavný	49.8	6.0	4.4	39.1	43.1	7.0	0.4	
	Cel.pro.		3.8	3.1	36.3	34.6	21.8	0.4	
135	Podružný	38.3	1.4	2.5	43.1	40.0	12.4	0.6	
	Hlavný	51.4	6.2	4.2	38.0	44.3	6.9	0.4	
	Cel.pro.		4.0	3.0	35.7	35.6	21.3	0.4	
140	Podružný	39.5	1.5	2.4	42.6	41.0	11.9	0.6	
	Hlavný	53.0	6.5	4.0	36.8	45.5	6.8	0.4	
	Cel.pro.		4.1	2.9	35.2	36.4	21.0	0.4	
145	Podružný	40.8	1.6	2.4	41.8	42.0	11.6	0.6	
	Hlavný	54.5	6.7	3.8	35.7	46.7	6.7	0.4	
	Cel.pro.		4.2	2.8	34.6	37.4	20.6	0.4	
150	Podružný	42.0	1.6	2.3	41.1	43.1	11.3	0.6	
	Hlavný	56.0	6.9	3.6	34.6	47.8	6.7	0.4	
	Cel.pro.		4.3	2.7	34.1	38.2	20.3	0.4	
155	Podružný	43.2	1.7	2.3	40.4	44.0	11.0	0.6	
	Hlavný	57.5	7.1	3.4	33.6	48.8	6.7	0.4	
	Cel.pro.		4.4	2.6	33.6	39.0	20.0	0.4	
160	Podružný	44.4	1.7	2.2	39.7	45.0	10.8	0.6	
	Hlavný	58.9	7.3	3.2	32.6	49.8	6.7	0.4	
	Cel.pro.		4.5	2.5	33.1	39.8	19.7	0.4	

Drevina: Jedľa

Bonita: 34

Vek	Porast	Stredná hrúbka	Podiel akostných tried výrezov v %						
			I	II	IIIA	IIIB	V	VI	Odpad
20	Podružný	3.7					100.0		
	Hlavný	6.5			0.2		99.8		
	Cel.pro.				0.2		99.8		
25	Podružný	5.5					100.0		
	Hlavný	9.1			2.6		97.4		
	Cel.pro.				2.1		97.9		
30	Podružný	7.3			0.4		99.6		
	Hlavný	11.6			9.1		90.9		
	Cel.pro.				7.4		92.6		
35	Podružný	9.1			2.0		98.0		
	Hlavný	14.2			18.6	0.4	81.0		
	Cel.pro.				14.8	0.3	84.9		
40	Podružný	10.9			5.6	0.1	94.3		
	Hlavný	16.7		0.2	28.6	8.5	62.6	0.1	
	Cel.pro.			0.2	22.4	6.5	70.8	0.1	
45	Podružný	12.8			10.8	0.7	88.5		
	Hlavný	19.1		0.7	36.9	15.6	46.6	0.2	
	Cel.pro.			0.5	28.7	11.7	59.0	0.1	
50	Podružný	14.6			17.0	3.3	79.6	0.1	
	Hlavný	21.5	0.2	1.5	43.0	20.2	34.8	0.3	
	Cel.pro.		0.1	1.1	33.3	15.0	50.3	0.2	
55	Podružný	16.4		0.1	23.3	10.0	66.3	0.3	
	Hlavný	23.8	0.4	2.5	47.1	23.2	26.5	0.3	
	Cel.pro.		0.3	1.8	36.5	17.3	43.9	0.2	
60	Podružný	18.1		0.2	29.2	15.8	54.5	0.3	
	Hlavný	26.1	0.7	3.4	49.6	25.2	20.8	0.3	
	Cel.pro.		0.5	2.4	38.6	19.0	39.2	0.3	
65	Podružný	19.8		0.4	34.1	20.4	44.7	0.4	
	Hlavný	28.4	1.2	4.3	50.4	26.8	16.9	0.4	
	Cel.pro.		0.8	3.0	39.8	20.6	35.5	0.3	
70	Podružný	21.5	0.1	0.6	38.1	23.7	37.0	0.5	
	Hlavný	30.6	1.7	4.9	50.7	28.3	14.0	0.4	
	Cel.pro.		1.2	3.4	40.4	22.0	32.7	0.3	
75	Podružný	23.2	0.1	1.0	41.2	26.2	31.0	0.5	
	Hlavný	32.8	2.3	5.3	50.3	29.7	12.0	0.4	
	Cel.pro.		1.6	3.6	40.7	23.4	30.4	0.3	
80	Podružný	24.9	0.2	1.3	43.4	28.2	26.4	0.5	
	Hlavný	34.9	2.9	5.6	49.4	31.2	10.5	0.4	
	Cel.pro.		1.9	3.8	40.6	24.8	28.6	0.3	
85	Podružný	26.5	0.4	1.7	44.6	29.9	22.9	0.5	
	Hlavný	36.9	3.4	5.7	48.4	32.7	9.4	0.4	
	Cel.pro.		2.3	3.9	40.2	26.2	27.1	0.3	

Drevina: Jedľa

Bonita: 34

Vek	Porast	Stredná hrúbka	Podiel akostných tried výrezov v %					
			I	II	IIIA	IIIB	V	VI Odpad
90	Podružný	28.1	0.5	2.0	45.4	31.3	20.2	0.6
	Hlavný	39.0	4.0	5.7	47.0	34.3	8.6	0.4
	Cel.pro.		2.6	3.9	39.9	27.5	25.8	0.3
95	Podružný	29.6	0.7	2.2	45.9	32.6	18.0	0.6
	Hlavný	40.9	4.5	5.6	45.7	35.8	8.0	0.4
	Cel.pro.		2.9	3.8	39.3	28.8	24.8	0.4
100	Podružný	31.2	0.8	2.4	46.0	33.9	16.3	0.6
	Hlavný	42.9	4.9	5.4	44.3	37.4	7.6	0.4
	Cel.pro.		3.2	3.7	38.7	30.1	23.9	0.4
105	Podružný	32.7	1.0	2.5	45.7	35.2	15.0	0.6
	Hlavný	44.8	5.4	5.2	42.9	38.9	7.2	0.4
	Cel.pro.		3.5	3.6	38.1	31.3	23.1	0.4
110	Podružný	34.2	1.1	2.6	45.3	36.4	14.0	0.6
	Hlavný	46.6	5.7	5.0	41.5	40.4	7.0	0.4
	Cel.pro.		3.7	3.5	37.5	32.5	22.4	0.4
115	Podružný	35.6	1.3	2.6	44.8	37.6	13.1	0.6
	Hlavný	48.5	6.1	4.8	40.2	41.7	6.8	0.4
	Cel.pro.		3.9	3.4	36.8	33.7	21.8	0.4
120	Podružný	37.1	1.4	2.6	44.2	38.8	12.4	0.6
	Hlavný	50.3	6.4	4.6	38.8	43.2	6.6	0.4
	Cel.pro.		4.1	3.3	36.1	34.8	21.3	0.4
125	Podružný	38.5	1.5	2.6	43.4	40.0	11.9	0.6
	Hlavný	52.0	6.8	4.3	37.5	44.5	6.5	0.4
	Cel.pro.		4.3	3.1	35.6	35.8	20.8	0.4
130	Podružný	39.9	1.6	2.5	42.8	41.1	11.4	0.6
	Hlavný	53.7	7.0	4.1	36.2	45.9	6.4	0.4
	Cel.pro.		4.5	3.0	35.0	36.7	20.4	0.4
135	Podružný	41.3	1.7	2.5	41.9	42.2	11.1	0.6
	Hlavný	55.4	7.3	3.9	35.0	47.0	6.4	0.4
	Cel.pro.		4.6	2.9	34.4	37.7	20.0	0.4
140	Podružný	42.6	1.8	2.4	41.1	43.3	10.8	0.6
	Hlavný	57.1	7.5	3.6	33.8	48.4	6.3	0.4
	Cel.pro.		4.7	2.7	33.8	38.7	19.7	0.4
145	Podružný	43.9	1.8	2.3	40.3	44.5	10.5	0.6
	Hlavný	58.7	7.8	3.4	32.7	49.4	6.3	0.4
	Cel.pro.		4.9	2.6	33.2	39.5	19.4	0.4
150	Podružný	45.2	1.9	2.2	39.5	45.5	10.3	0.6
	Hlavný	60.3	8.0	3.2	31.6	50.5	6.3	0.4
	Cel.pro.		5.0	2.5	32.6	40.4	19.1	0.4
155	Podružný	46.5	1.9	2.2	38.7	46.5	10.1	0.6
	Hlavný	61.9	8.2	3.0	30.5	51.6	6.3	0.4
	Cel.pro.		5.1	2.4	32.1	41.2	18.8	0.4
160	Podružný	47.8	1.9	2.1	37.9	47.5	10.0	0.6
	Hlavný	63.5	8.4	2.8	29.5	52.6	6.3	0.4
	Cel.pro.		5.2	2.3	31.5	42.0	18.6	0.4

Vek	Porast	Stredná hrúbka	Podiel akostných tried výrezov v %						
			I	II	IIIA	IIIB	V	VI	Odpad
20	Podružný	4.2					100.0		
	Hlavný	7.3			0.6		99.4		
	Cel.pro.				0.5		99.5		
25	Podružný	6.1			0.1		99.9		
	Hlavný	10.1			4.6		95.4		
	Cel.pro.				3.8		96.2		
30	Podružný	8.0			0.8		99.2		
	Hlavný	12.8			13.3	0.1	86.6		
	Cel.pro.				10.7	0.1	89.2		
35	Podružný	10.0			3.5		96.5		
	Hlavný	15.5		0.1	24.2	4.5	71.1	0.1	
	Cel.pro.			0.1	19.1	3.5	77.2	0.1	
40	Podružný	12.0			8.5	0.3	91.2		
	Hlavný	18.2		0.5	34.4	13.2	51.8	0.1	
	Cel.pro.			0.4	26.9	10.0	62.6	0.1	
45	Podružný	13.9			15.0	1.3	83.6	0.1	
	Hlavný	20.8	0.1	1.3	41.9	19.1	37.4	0.2	
	Cel.pro.		0.1	1.0	32.6	14.2	51.9	0.2	
50	Podružný	15.9			21.9	8.0	69.9	0.2	
	Hlavný	23.4	0.4	2.4	46.7	22.6	27.6	0.3	
	Cel.pro.		0.3	1.7	36.4	16.9	44.5	0.2	
55	Podružný	17.8		0.1	28.5	14.7	56.4	0.3	
	Hlavný	25.9	0.7	3.5	49.6	24.9	21.0	0.3	
	Cel.pro.		0.5	2.5	38.9	18.9	39.0	0.2	
60	Podružný	19.7		0.4	34.1	19.8	45.3	0.4	
	Hlavný	28.4	1.3	4.4	50.8	26.7	16.5	0.3	
	Cel.pro.		0.9	3.1	40.2	20.5	35.0	0.3	
65	Podružný	21.5	0.1	0.7	38.4	23.6	36.8	0.4	
	Hlavný	30.8	1.9	5.1	50.9	28.3	13.5	0.3	
	Cel.pro.		1.3	3.5	40.9	22.1	31.9	0.3	
70	Podružný	23.3	0.1	1.1	41.7	26.3	30.3	0.5	
	Hlavný	33.1	2.5	5.6	50.4	29.9	11.3	0.3	
	Cel.pro.		1.7	3.8	41.1	23.6	29.5	0.3	
75	Podružný	25.1	0.3	1.5	43.9	28.4	25.4	0.5	
	Hlavný	35.4	3.2	5.8	49.4	31.5	9.8	0.3	
	Cel.pro.		2.1	4.0	40.8	25.2	27.6	0.3	
80	Podružný	26.9	0.4	1.8	45.4	30.1	21.8	0.5	
	Hlavný	37.7	3.8	5.9	48.1	33.2	8.7	0.3	
	Cel.pro.		2.5	4.0	40.5	26.7	26.0	0.3	
85	Podružný	28.6	0.6	2.1	46.2	31.6	19.0	0.5	
	Hlavný	39.9	4.4	5.8	46.6	34.9	8.0	0.3	
	Cel.pro.		2.9	4.0	40.0	28.1	24.7	0.3	

JEDLÁ

BONITA 36

Drevina: Jedľa

Bonita: 36

Vek	Porast	Stredná hrúbka	Podiel akostných tried výrezov v %						Odpad
			I	II	IIIA	IIIB	V	VI	
90	Podružný Hlavný Cel.pro.	30.3	0.8	2.4	46.4	33.1	16.8	0.5	
		42.1	5.0	5.7	45.0	36.6	7.4	0.3	
			3.3	3.9	39.4	29.5	23.6	0.3	
95	Podružný Hlavný Cel.pro.	32.0	1.0	2.6	46.3	34.4	15.2	0.5	
		44.2	5.5	5.5	43.5	38.2	7.0	0.3	
			3.6	3.8	38.7	30.9	22.7	0.3	
100	Podružný Hlavný Cel.pro.	33.6	1.1	2.7	45.9	35.8	13.9	0.6	
		46.2	5.9	5.3	41.9	39.9	6.7	0.3	
			3.8	3.7	37.9	32.3	22.0	0.3	
105	Podružný Hlavný Cel.pro.	35.2	1.3	2.7	45.4	37.1	12.9	0.6	
		48.3	6.4	5.0	40.4	41.5	6.4	0.3	
			4.1	3.5	37.3	33.5	21.3	0.3	
110	Podružný Hlavný Cel.pro.	36.8	1.5	2.7	44.8	38.4	12.1	0.5	
		50.2	6.8	4.7	38.8	43.1	6.3	0.3	
			4.3	3.4	36.5	34.8	20.7	0.3	
115	Podružný Hlavný Cel.pro.	38.4	1.6	2.7	44.0	39.7	11.5	0.5	
		52.2	7.1	4.5	37.4	44.6	6.1	0.3	
			4.6	3.2	35.7	36.0	20.2	0.3	
120	Podružný Hlavný Cel.pro.	39.9	1.7	2.6	43.2	41.0	11.0	0.5	
		54.1	7.4	4.2	35.9	46.1	6.1	0.3	
			4.7	3.1	35.0	37.2	19.7	0.3	
125	Podružný Hlavný Cel.pro.	41.4	1.8	2.6	42.3	42.2	10.6	0.5	
		56.0	7.8	3.9	34.6	47.4	6.0	0.3	
			4.9	2.9	34.4	38.1	19.3	0.4	
130	Podružný Hlavný Cel.pro.	42.9	1.9	2.5	41.3	43.5	10.3	0.5	
		57.8	8.0	3.7	33.3	48.7	6.0	0.3	
			5.1	2.8	33.7	39.0	19.0	0.4	
135	Podružný Hlavný Cel.pro.	44.4	2.0	2.4	40.4	44.7	10.0	0.5	
		59.6	8.3	3.4	32.0	50.0	6.0	0.3	
			5.2	2.6	33.0	40.1	18.7	0.4	
140	Podružný Hlavný Cel.pro.	45.8	2.0	2.3	39.5	45.9	9.8	0.5	
		61.4	8.5	3.2	30.8	51.2	6.0	0.3	
			5.4	2.5	32.4	40.9	18.4	0.4	
145	Podružný Hlavný Cel.pro.	47.2	2.1	2.2	38.6	46.9	9.7	0.5	
		63.1	8.8	3.0	29.7	52.2	6.0	0.3	
			5.5	2.4	31.8	41.8	18.1	0.4	
150	Podružný Hlavný Cel.pro.	48.6	2.1	2.1	37.8	47.9	9.6	0.5	
		64.8	9.0	2.7	28.6	53.4	6.0	0.3	
			5.6	2.2	31.2	42.7	17.9	0.4	
155	Podružný Hlavný Cel.pro.	50.0	2.1	2.0	36.9	49.0	9.5	0.5	
		66.5	9.2	2.5	27.5	54.5	6.0	0.3	
			5.7	2.1	30.7	43.5	17.6	0.4	
160	Podružný Hlavný Cel.pro.	51.3	2.1	1.9	36.1	50.0	9.4	0.5	
		68.2	9.3	2.3	26.5	55.6	6.0	0.3	
			5.8	2.0	30.1	44.3	17.4	0.4	

Vek	Porast	Stredná hrúbka	Podiel akostných tried výrezov v %						
			I	II	IIIA	IIIB	V	VI	Odpad
20	Podružný	4.6					100.0		
	Hlavný	8.1			1.2		98.8		
	Cel.pro.				1.0		99.0		
25	Podružný	6.7			0.2		99.8		
	Hlavný	11.1			7.3		92.7		
	Cel.pro.				6.0		94.0		
30	Podružný	8.8			1.6		98.4		
	Hlavný	14.0			18.1	0.2	81.7		
	Cel.pro.				14.5	0.2	85.3		
35	Podružný	10.9			5.6	0.1	94.3		
	Hlavný	16.9		0.3	29.9	9.3	60.4	0.1	
	Cel.pro.			0.2	23.5	7.2	69.0	0.1	
40	Podružný	13.0			12.1	0.8	87.1		
	Hlavný	19.8	0.1	1.0	39.6	17.0	42.1	0.2	
	Cel.pro.		0.1	0.7	30.9	12.8	55.4	0.1	
45	Podružný	15.1			19.6	5.1	75.2	0.1	
	Hlavný	22.6	0.3	2.1	45.9	21.6	29.9	0.2	
	Cel.pro.		0.2	1.5	35.8	16.1	46.2	0.2	
50	Podružný	17.2		0.1	27.0	12.7	60.0	0.2	
	Hlavný	25.4	0.7	3.3	49.4	24.4	21.9	0.3	
	Cel.pro.		0.5	2.4	38.8	18.4	39.7	0.2	
55	Podružný	19.3		0.3	33.4	18.7	47.3	0.3	
	Hlavný	28.1	1.2	4.4	51.0	26.4	16.7	0.3	
	Cel.pro.		0.9	3.1	40.4	20.3	35.1	0.2	
60	Podružný	21.3	0.1	0.7	38.3	23.0	37.5	0.4	
	Hlavný	30.7	1.9	5.2	51.3	28.1	13.2	0.3	
	Cel.pro.		1.3	3.6	41.2	22.0	31.6	0.3	
65	Podružný	23.3	0.1	1.1	42.1	26.0	30.2	0.5	
	Hlavný	33.3	2.6	5.7	50.6	29.9	10.9	0.3	
	Cel.pro.		1.8	4.0	41.2	23.7	29.0	0.3	
70	Podružný	25.2	0.3	1.5	44.5	28.3	24.9	0.5	
	Hlavný	35.8	3.4	6.0	49.4	31.6	9.3	0.3	
	Cel.pro.		2.3	4.1	41.1	25.3	26.9	0.3	
75	Podružný	27.1	0.4	2.0	45.9	30.2	21.0	0.5	
	Hlavný	38.2	4.1	6.0	47.9	33.5	8.2	0.3	
	Cel.pro.		2.7	4.2	40.6	26.9	25.3	0.3	
80	Podružný	29.0	0.7	2.3	46.6	31.8	18.1	0.5	
	Hlavný	40.6	4.8	6.0	46.2	35.3	7.4	0.3	
	Cel.pro.		3.1	4.1	40.1	28.5	23.9	0.3	
85	Podružný	30.8	0.9	2.5	46.9	33.3	15.9	0.5	
	Hlavný	43.0	5.4	5.8	44.5	37.2	6.8	0.3	
	Cel.pro.		3.5	4.0	39.3	30.1	22.8	0.3	

Drevina: Jedľa

Bonita: 38

Vek	Porast	Stredná hrúbka	Podiel akostných tried výrezov v %						Odpad
			I	II	IIIA	IIIB	V	VI	
90	Podružný	32.6	1.1	2.7	46.6	34.8	14.3	0.5	
	Hlavný	45.3	5.9	5.5	42.9	39.0	6.4	0.3	
	Cel.pro.		3.9	3.9	38.4	31.6	21.9	0.3	
95	Podružný	34.4	1.3	2.8	46.1	36.3	13.0	0.5	
	Hlavný	47.5	6.5	5.2	41.0	40.8	6.2	0.3	
	Cel.pro.		4.2	3.7	37.7	33.0	21.1	0.3	
100	Podružný	36.2	1.5	2.8	45.4	37.7	12.1	0.5	
	Hlavný	49.7	6.9	4.9	39.3	42.6	6.0	0.3	
	Cel.pro.		4.5	3.6	36.8	34.4	20.4	0.3	
105	Podružný	37.9	1.6	2.8	44.7	39.1	11.3	0.5	
	Hlavný	51.9	7.3	4.6	37.7	44.3	5.8	0.3	
	Cel.pro.		4.7	3.4	36.1	35.7	19.8	0.3	
110	Podružný	39.6	1.8	2.8	43.7	40.5	10.7	0.5	
	Hlavný	54.0	7.7	4.3	36.1	45.9	5.7	0.3	
	Cel.pro.		5.0	3.2	35.3	36.9	19.3	0.3	
115	Podružný	41.2	1.9	2.7	42.7	41.9	10.3	0.5	
	Hlavný	56.1	8.1	4.0	34.5	47.4	5.7	0.3	
	Cel.pro.		5.2	3.0	34.5	38.1	18.9	0.3	
120	Podružný	42.9	2.0	2.6	41.7	43.3	9.9	0.5	
	Hlavný	58.1	8.4	3.7	33.1	48.8	5.7	0.3	
	Cel.pro.		5.3	2.9	33.7	39.3	18.5	0.3	
125	Podružný	44.5	2.1	2.5	40.7	44.5	9.7	0.5	
	Hlavný	60.1	8.7	3.5	31.7	50.2	5.6	0.3	
	Cel.pro.		5.5	2.7	33.0	40.4	18.1	0.3	
130	Podružný	46.0	2.1	2.4	39.7	45.9	9.4	0.5	
	Hlavný	62.0	9.0	3.2	30.4	51.5	5.6	0.3	
	Cel.pro.		5.7	2.5	32.3	41.4	17.8	0.3	
135	Podružný	47.6	2.2	2.3	38.7	47.0	9.3	0.5	
	Hlavný	63.9	9.2	2.9	29.1	52.8	5.7	0.3	
	Cel.pro.		5.8	2.4	31.6	42.3	17.6	0.3	
140	Podružný	49.1	2.2	2.2	37.8	48.2	9.1	0.5	
	Hlavný	65.8	9.5	2.7	27.9	53.9	5.7	0.3	
	Cel.pro.		5.9	2.3	31.0	43.2	17.3	0.3	
145	Podružný	50.6	2.2	2.0	36.8	49.5	9.0	0.5	
	Hlavný	67.7	9.7	2.5	26.8	55.0	5.7	0.3	
	Cel.pro.		6.0	2.1	30.4	44.1	17.1	0.3	
150	Podružný	52.1	2.3	1.9	35.9	50.4	9.0	0.5	
	Hlavný	69.5	9.9	2.2	25.7	56.2	5.7	0.3	
	Cel.pro.		6.1	2.0	29.8	44.9	16.9	0.3	
155	Podružný	53.6	2.3	1.8	35.0	51.5	8.9	0.5	
	Hlavný	71.3	10.1	2.0	24.6	57.2	5.8	0.3	
	Cel.pro.		6.2	1.9	29.2	45.6	16.7	0.4	
160	Podružný	55.0	2.3	1.7	34.2	52.4	8.9	0.5	
	Hlavný	73.0	10.3	1.8	23.6	58.2	5.8	0.3	
	Cel.pro.		6.3	1.8	28.7	46.3	16.5	0.4	

Vek	Porast	Stredná hrúbka	Podiel akostných tried výrezov v %					
			I	II	IIIA	IIIB	V	VI Odpad
15	Podružný	3.0						
	Hlavný	5.7			0.1		99.9	
	Cel.pro.				0.1		99.9	
20	Podružný	5.1					100.0	
	Hlavný	8.9			2.3		97.7	
	Cel.pro.				2.0		98.0	
25	Podružný	7.3			0.4		99.6	
	Hlavný	12.1			10.8	0.1	89.1	
	Cel.pro.				8.9		91.1	
30	Podružný	9.6			2.8		97.2	
	Hlavný	15.3		0.1	23.3	3.5	73.0	0.1
	Cel.pro.			0.1	18.6	2.8	78.5	
35	Podružný	11.9			8.3	0.3	91.4	
	Hlavný	18.4		0.6	35.2	13.6	50.5	0.1
	Cel.pro.			0.4	27.7	10.4	61.4	0.1
40	Podružný	14.1			16.2	1.4	82.4	
	Hlavný	21.5	0.2	1.6	44.1	19.9	34.0	0.2
	Cel.pro.		0.1	1.2	34.4	14.9	49.2	0.2
45	Podružný	16.4		0.1	24.5	9.7	65.5	0.2
	Hlavný	24.5	0.5	3.0	49.0	23.5	23.8	0.2
	Cel.pro.		0.4	2.2	38.4	17.7	41.1	0.2
50	Podružný	18.6		0.2	31.9	16.9	50.7	0.3
	Hlavný	27.4	1.1	4.3	51.1	25.8	17.4	0.3
	Cel.pro.		0.8	3.1	40.5	19.8	35.6	0.2
55	Podružný	20.8		0.6	37.7	22.0	39.3	0.4
	Hlavný	30.3	1.8	5.3	51.4	27.8	13.4	0.3
	Cel.pro.		1.3	3.7	41.5	21.7	31.6	0.2
60	Podružný	22.9	0.1	1.1	42.0	25.5	30.9	0.4
	Hlavný	33.1	2.7	5.9	50.7	29.7	10.7	0.3
	Cel.pro.		1.8	4.1	41.7	23.5	28.6	0.3
65	Podružný	25.0	0.3	1.6	44.7	28.0	24.9	0.5
	Hlavný	35.8	3.5	6.1	49.6	31.6	8.9	0.3
	Cel.pro.		2.4	4.3	41.3	25.3	26.4	0.3
70	Podružný	27.1	0.5	2.0	46.4	30.0	20.6	0.5
	Hlavný	38.5	4.3	6.2	47.8	33.6	7.8	0.3
	Cel.pro.		2.9	4.3	40.8	27.1	24.6	0.3
75	Podružný	29.2	0.7	2.4	47.1	31.8	17.5	0.5
	Hlavný	41.1	5.0	6.1	46.1	35.6	6.9	0.3
	Cel.pro.		3.4	4.2	40.1	28.9	23.1	0.3
80	Podružný	31.2	0.9	2.7	47.3	33.4	15.2	0.5
	Hlavný	43.7	5.7	5.8	44.1	37.7	6.4	0.3
	Cel.pro.		3.8	4.1	39.3	30.5	22.0	0.3
85	Podružný	33.1	1.2	2.8	47.0	35.0	13.5	0.5
	Hlavný	46.2	6.3	5.5	42.2	39.7	6.0	0.3
	Cel.pro.		4.2	3.9	38.4	32.2	21.0	0.3

Drevina: Jedľa

Bonita: 40

Vek	Porast	Stredná hrúbka	Podiel akostných tried výrezov v %						
			I	II	IIIA	IIIB	V	VI	Odpad
90	Podružný	35.1	1.4	2.9	46.3	36.6	12.3	0.5	
	Hlavný	48.6	6.9	5.2	40.3	41.6	5.7	0.3	
	Cel.pro.		4.5	3.8	37.5	33.7	20.2	0.3	
95	Podružný	36.9	1.6	2.9	45.5	38.2	11.3	0.5	
	Hlavný	51.0	7.4	4.9	38.4	43.4	5.6	0.3	
	Cel.pro.		4.8	3.6	36.6	35.2	19.5	0.3	
100	Podružný	38.8	1.8	2.9	44.5	39.7	10.6	0.5	
	Hlavný	53.3	7.9	4.5	36.6	45.3	5.4	0.3	
	Cel.pro.		5.1	3.4	35.7	36.6	18.9	0.3	
105	Podružný	40.6	2.0	2.8	43.4	41.2	10.1	0.5	
	Hlavný	55.6	8.3	4.2	34.9	46.9	5.4	0.3	
	Cel.pro.		5.3	3.2	34.8	38.0	18.4	0.3	
110	Podružný	42.4	2.1	2.7	42.4	42.7	9.6	0.5	
	Hlavný	57.9	8.6	3.9	33.3	48.6	5.3	0.3	
	Cel.pro.		5.5	3.0	34.0	39.2	18.0	0.3	
115	Podružný	44.2	2.2	2.6	41.3	44.1	9.3	0.5	
	Hlavný	60.1	9.0	3.5	31.7	50.2	5.3	0.3	
	Cel.pro.		5.7	2.8	33.2	40.4	17.6	0.3	
120	Podružný	45.9	2.2	2.5	40.2	45.5	9.1	0.5	
	Hlavný	62.2	9.3	3.2	30.3	51.6	5.3	0.3	
	Cel.pro.		5.9	2.6	32.4	41.5	17.3	0.3	
125	Podružný	47.6	2.3	2.4	39.1	46.8	8.9	0.5	
	Hlavný	64.3	9.6	2.9	28.9	52.9	5.4	0.3	
	Cel.pro.		6.1	2.4	31.6	42.6	17.0	0.3	
130	Podružný	49.3	2.3	2.2	38.0	48.2	8.8	0.5	
	Hlavný	66.4	9.9	2.7	27.5	54.2	5.4	0.3	
	Cel.pro.		6.2	2.3	30.9	43.6	16.7	0.3	
135	Podružný	50.9	2.4	2.1	37.0	49.3	8.7	0.5	
	Hlavný	68.4	10.1	2.4	26.3	55.5	5.4	0.3	
	Cel.pro.		6.4	2.1	30.2	44.5	16.5	0.3	
140	Podružný	52.5	2.4	2.0	36.0	50.5	8.6	0.5	
	Hlavný	70.4	10.3	2.2	25.1	56.6	5.5	0.3	
	Cel.pro.		6.5	2.0	29.6	45.3	16.3	0.3	
145	Podružný	54.1	2.4	1.9	35.0	51.7	8.5	0.5	
	Hlavný	72.4	10.5	1.9	24.0	57.8	5.5	0.3	
	Cel.pro.		6.6	1.8	29.0	46.3	16.0	0.3	
150	Podružný	55.7	2.4	1.8	34.1	52.7	8.5	0.5	
	Hlavný	74.3	10.7	1.7	22.9	58.9	5.5	0.3	
	Cel.pro.		6.7	1.7	28.4	47.0	15.9	0.3	
155	Podružný	57.3	2.4	1.7	33.1	53.8	8.5	0.5	
	Hlavný	76.2	10.9	1.5	21.9	59.8	5.6	0.3	
	Cel.pro.		6.8	1.6	27.8	47.8	15.7	0.3	
160	Podružný	58.8	2.4	1.6	32.3	54.7	8.5	0.5	
	Hlavný	78.0	11.1	1.3	20.9	60.8	5.6	0.3	
	Cel.pro.		6.9	1.5	27.3	48.4	15.6	0.3	